

---

# Always On/Dynamic ISDN (AO/DI) Application Guidelines for National ISDN Basic Rate Interfaces

## Contents

[Telcordia SR-4738-Documentation Information](#)

1. Introduction.....	1-1
1.1 Purpose and Audience.....	1-1
1.2 Scope.....	1-1
1.3 Relation to Other Documents.....	1-2
1.4 Organization.....	1-2
2. Overview of the AO/DI Application.....	2-1
2.1 Definition.....	2-1
2.2 AO/DI Call Sequence.....	2-1
2.3 Uses and Benefits of AO/DI.....	2-2
2.4 Network Architecture.....	2-2
2.5 Access Interfaces.....	2-3
2.5.1 AO/DI Client Access.....	2-3
2.5.2 AO/DI Host Access.....	2-4
3. NIUF ISDN Ordering Codes.....	3-1
3.1 AO/DI IOC Descriptions.....	3-1
3.2 AO/DI IOC Structure.....	3-2
4. CPE Guidelines and AO/DI.....	4-1
4.1 Packet-Switched Call Control Procedures.....	4-1
4.1.1 X.25 Test Call Procedures.....	4-1
4.1.2 X.25 Test Call Success and Failure Criteria.....	4-3
4.2 Automated SPID Selection.....	4-4
4.2.1 Auto-SPID Overview.....	4-4
4.2.2 Auto-SPID and AO/DI Terminal Initialization.....	4-5
4.2.3 Auto-SPID and the Calling DTE Address Field.....	4-7
4.2.3.1 Two SPIDs in Auto-SPID Response.....	4-7
4.2.3.2 Three SPIDs in Auto-SPID Response.....	4-8
4.2.3.3 No SPIDs in Auto-SPID Response.....	4-9
4.2.3.4 Auto-SPID Summary.....	4-9
5. Bandwidth Allocation Determination.....	5-1
5.1 Outgoing Direction.....	5-1
5.2 Incoming Direction.....	5-2
5.3 Additional Factors.....	5-2
5.3.1 Manual Intervention.....	5-2
5.3.2 Over Responsiveness.....	5-2
5.3.3 B-Channel Timer.....	5-3

---

5.3.3.1 B-Channel Timer Example .....	5-3
Appendix A: Web-Based Documentation .....	A-1
A.1 VIA Documentation .....	A-1
A.2 IETF Documentation.....	A-1
A.3 NIUF Documentation.....	A-1
Appendix B: CPE-Switch Compatibility Issues.....	B-1
B.1 National ISDN Switch Platform A.....	B-1
B.2 National ISDN Switch Platform B.....	B-1
B.3 A Common Approach .....	B-2
References .....	References-1
Acronyms.....	Acronyms-1

## List of Figures

Figure 2-1.	AO/DI Network Architecture .....	2-3
Figure 2-2.	AO/DI Client Access .....	2-3
Figure 2-3.	AO/DI Host Access - PRI B-Channels for Circuit-Switching and Packet Switching.....	2-4
Figure 2-4.	AO/DI Host Access - PRI B-Channels for Circuit-Switching; Dedicated Access Link to Packet Backbone .....	2-4
Figure 2-5.	AO/DI Host Access - PRI B-Channels for Circuit-Switching; BRI B-Channels for Packet Switching .....	2-5
Figure 5-1.	Bandwidth Allocation Example - No B-Channel Timer .....	5-5
Figure 5-2.	Bandwidth Allocation Example - B-Channel Timer .....	5-5



## List of Tables

Table 3-1.	NIUF IOCs for AO/DI.....	3-2
Table 4-1.	X.25 Test Call Success Criteria.....	4-3
Table 4-2.	X.25 Test Call Failure Scenarios.....	4-4
Table 4-3.	Auto-SPID Response Fields.....	4-5
Table 4-4.	Auto-SPID Response for AO/DI IOC-Provisioned BRIs - 2 SPIDs.....	4-6
Table 4-5.	Auto-SPID Response for AO/DI IOC-Provisioned BRIs - 3 SPIDs.....	4-6