

Contents [Telcordia SR-4918-Documentation Information](#)

1. Introduction	1-1
1.1 Scope of Document	1-1
1.2 TDM/ATM Gateway	1-1
1.3 GR-740-CORE Background Information	1-2
1.4 Section Template Overview	1-2
1.5 Organization of the Document	1-3
2. TDM/ATM Gateway Object-Oriented Information Model	2-1
2.1 TDM/ATM Gateway Architecture	2-1
2.2 Information Modeling Notation	2-2
2.2.1 Packages	2-2
2.2.2 Object Classes	2-2
2.2.3 Relationships	2-3
2.3 TDM/ATM Gateway High-Level View Diagram	2-3
2.4 User-to-Network Interface (UNI) Class Diagram	2-4
2.5 Ingress Cell Processor (ICP)/Egress Cell Processor (ECP) Class Diagram	2-6
2.6 Buffers Class Diagram	2-7
2.7 Operations and Signaling Processor Class Diagram	2-8
2.8 Virtual Channel (VC) Class Diagram	2-9
2.9 Trunk Groups Class Diagram	2-10
2.10 Connection Manager Class Diagram	2-11
2.11 Interworking Unit Class Diagram	2-12
2.12 Measurement Data Store Packages	2-14
2.12.1 ATM Traffic Load	2-14
2.12.2 ATM Congestion	2-15
2.12.3 ATM Levels of Congestion	2-15
2.12.4 ATM UPC/NPC	2-16
2.12.5 ATM Adaptation Layer Type One	2-17
2.12.6 ATM Adaptation Layer Type Five	2-18
3. Sections and Keywords for Periodic Polled Report	3-1
3.1 ATM Interfaces	3-1
3.1.1 Traffic Load	3-1
3.1.2 Traffic Load	3-2
3.1.2.1 Configuration 1	3-2
3.1.2.2 Configuration 2	3-3
3.1.2.3 Configuration 3	3-4
3.1.3 Congestion	3-5
3.1.3.1 Configuration 1	3-5
3.1.3.2 Configuration 2	3-6
3.1.3.3 Configuration 3	3-7
3.1.4 Levels of Congestion	3-8
3.1.4.1 Configuration 1	3-8
3.1.4.2 Configuration 2	3-9

	3.1.4.3	Configuration 3	3-10
3.2	ICP/ECP		3-11
	3.2.1	Traffic Load	3-11
		3.2.1.1 Configuration 1	3-12
		3.2.1.2 Configuration 2	3-12
		3.2.1.3 Configuration 3	3-13
	3.2.2	Congestion	3-14
		3.2.2.1 Configuration 1	3-14
		3.2.2.2 Configuration 2	3-15
		3.2.2.3 Configuration 3	3-16
	3.2.3	Levels of Congestion	3-17
		3.2.3.1 Configuration 1	3-17
		3.2.3.2 Configuration 2	3-18
		3.2.3.3 Configuration 3	3-19
3.3	Ingress/Egress Buffer		3-20
	3.3.1	Traffic Load	3-20
		3.3.1.1 Configuration 1	3-21
		3.3.1.2 Configuration 2	3-21
		3.3.1.3 Configuration 3	3-22
	3.3.2	Congestion	3-23
		3.3.2.1 Configuration 1	3-24
		3.3.2.2 Configuration 2	3-24
		3.3.2.3 Configuration 3	3-25
	3.3.3	Levels of Congestion	3-26
		3.3.3.1 Configuration 1	3-27
		3.3.3.2 Configuration 2	3-28
		3.3.3.3 Configuration 3	3-28
3.4	Card Buffer		3-29
	3.4.1	Traffic Load	3-30
		3.4.1.1 Configuration 1	3-30
		3.4.1.2 Configuration 2	3-31
		3.4.1.3 Configuration 3	3-31
	3.4.2	Congestion	3-32
		3.4.2.1 Configuration 1	3-33
		3.4.2.2 Configuration 2	3-33
		3.4.2.3 Configuration 3	3-34
	3.4.3	Levels of Congestion	3-35
		3.4.3.1 Configuration 1	3-35
		3.4.3.2 Configuration 2	3-36
		3.4.3.3 Configuration 3	3-37
3.5	Operations and Signaling Processor		3-38
	3.5.1	Processor Performance	3-39
		3.5.1.1 Configuration 1	3-39
		3.5.1.2 Configuration 2	3-40
		3.5.1.3 Configuration 3	3-40
3.6	VC		3-41
	3.6.1	Traffic Load	3-41

3.6.2	UPC/NPC	3-42
3.7	Trunk Groups	3-43
3.7.1	Performance	3-43
3.8	Connection Manager	3-44
3.8.1	Performance	3-44
3.9	Interworking Unit	3-45
3.9.1	AAL Type One	3-45
3.9.2	AAL Type Five	3-46
3.9.3	Interface Equipment Performance	3-47
4.	Keywords	4-1
Appendix A: Sections and Keywords Example		A-1
A.1	NDC OS-EMS Traffic Data Collection	A-1
A.2	Information Model	A-2
A.3	Sections and Keywords Definition	A-3
A.3.1	NE Component	A-3
A.3.1.1	Traffic Data	A-3
A.3.2	NE Module Component	A-4
A.3.2.1	Traffic Data (NE A Configuration)	A-4
A.3.2.2	Traffic Data (NE B Configuration)	A-5
A.3.2.3	Traffic Data (NE C Configuration)	A-5
A.4	Periodic Polled Report	A-6
References		References-1

List of Figures

Figure 1-1.	Example of TDM/ATM Gateway Deployment - Network Architecture	1-1
Figure 2-1.	TDM/ATM Gateway Architecture	2-1
Figure 2-2.	UML Package Notation	2-2
Figure 2-3.	UML Class Notations	2-3
Figure 2-4.	UML Relationship Notations	2-3
Figure 2-5.	TDM/ATM Gateway High Level View - Class Diagram	2-4
Figure 2-6.	UNI Package Class Diagram	2-5
Figure 2-7.	ICP/ECP Package Class Diagrams	2-6
Figure 2-8.	Buffer Package Class Diagram	2-7
Figure 2-9.	Operations and Signaling Processor Package Class Diagram	2-9
Figure 2-10.	VC Package Class Diagram	2-10
Figure 2-11.	Trunk Groups Package Class Diagram	2-11
Figure 2-12.	Connection Manager Package Class Diagram	2-12
Figure 2-13.	Interworking Unit Package Class Diagram	2-13
Figure 2-14.	atmTrafficLoad Package Class Diagram	2-14
Figure 2-15.	atmCongestion Package Class Diagram	2-15
Figure 2-16.	atmLevCongestion Package Class Diagram	2-16
Figure 2-17.	upcNpc Package Class Diagram	2-16
Figure 2-18.	aalTypeOne Package Class Diagram	2-17
Figure 2-19.	aalTypeFive Package Class Diagram	2-18
Figure A-1.	Overall System Architecture	A-1
Figure A-2.	Class Diagram for NEs A, B, and C	A-2
Figure A-3.	Status and Configuration NE A	A-7
Figure A-4.	Status and Configuration NE B	A-7
Figure A-5.	Status and Configuration NE C	A-8
Figure A-6.	EMS to NDC OS Report	A-9

List of Tables

Table 3-1.	UNI Traffic Load - Data Store Naming Path	3-1
Table 3-2.	UNI Traffic Load - Section Header Configuration	3-1
Table 3-3.	UNI Traffic Load - Record Configuration	3-2
Table 3-4.	Interface Physical Port Traffic Load (Configuration 1) - Data Store Naming Path	3-2
Table 3-5.	Interface Physical Port Traffic Load (Configuration 1) - Section Header Configuration	3-3
Table 3-6.	Interface Physical Port Traffic Load (Configuration 1) - Record Configuration	3-3
Table 3-7.	Interface Physical Port Traffic Load (Configuration 2) - Data Store Naming Path	3-3
Table 3-8.	Interface Physical Port Traffic Load (Configuration 2) - Section Header Configuration	3-3
Table 3-9.	Interface Physical Port Traffic Load (Configuration 2) - Record Configuration	3-4
Table 3-10.	Interface Physical Port Traffic Load (Configuration 3) - Data Store Naming Path	3-4
Table 3-11.	Interface Physical Port Traffic Load (Configuration 3) - Section Header Configuration	3-4
Table 3-12.	Interface Physical Port Traffic Load (Configuration 3) - Record Configuration	3-5
Table 3-13.	Interface Physical Port Congestion (Configuration 1) - Data Store Naming Path	3-5
Table 3-14.	Interface Physical Port Congestion (Configuration 1) - Section Header Configuration	3-6
Table 3-15.	Interface Physical Port Congestion (Configuration 1) - Record Configuration	3-6
Table 3-16.	Interface Physical Port Congestion (Configuration 2) - Data Store Naming Path	3-6
Table 3-17.	Interface Physical Port Congestion (Configuration 2) - Section Header Configuration	3-6
Table 3-18.	Interface Physical Port Congestion (Configuration 2) - Record Configuration	3-7
Table 3-19.	Interface Physical Port Congestion (Configuration 3) - Data Store Naming Path	3-7
Table 3-20.	Interface Physical Port Congestion (Configuration 3) - Section Header Configuration	3-7
Table 3-21.	Interface Physical Port Congestion (Configuration 3) - Record Configuration	3-8
Table 3-22.	Interface Physical Port Levels of Congestion (Configuration 1) - Data Store Naming Path	3-8
Table 3-23.	Interface Physical Port Levels of Congestion (Configuration 1) - Section Header Configuration	3-9

Table 3-24.	Interface Physical Port Levels of Congestion (Configuration 1) - Record Configuration	3-9
Table 3-25.	Interface Physical Port Levels of Congestion (Configuration 2) - Data Store Naming Path	3-9
Table 3-26.	Interface Physical Port Levels of Congestion (Configuration 2) - Section Header Configuration	3-10
Table 3-27.	Interface Physical Port Levels of Congestion (Configuration 2) - Record Configuration	3-10
Table 3-28.	Interface Physical Port Levels of Congestion (Configuration 3) - Data Store Naming Path	3-10
Table 3-29.	Interface Physical Port Levels of Congestion (Configuration 3) - Section Header Configuration	3-11
Table 3-30.	Interface Physical Port Levels of Congestion (Configuration 3) - Record Configuration	3-11
Table 3-31.	ICP/ECP Traffic Load (Configuration 1) - Data Store Naming Path	3-12
Table 3-32.	ICP/ECP Traffic Load (Configuration 1) - Section Header Configuration	3-12
Table 3-33.	ICP/ECP Traffic Load (Configuration 1) - Record Configuration	3-12
Table 3-34.	ICP/ECP Traffic Load (Configuration 2) - Data Store Naming Path	3-13
Table 3-35.	ICP/ECP Traffic Load (Configuration 2) - Section Header Configuration	3-13
Table 3-36.	ICP/ECP Traffic Load (Configuration 2) - Record Configuration	3-13
Table 3-37.	ICP/ECP Traffic Load (Configuration 3) - Data Store Naming Path	3-13
Table 3-38.	ICP/ECP Traffic Load (Configuration 3) - Section Header Configuration	3-14
Table 3-39.	ICP/ECP Traffic Load (Configuration 3) - Record Configuration	3-14
Table 3-40.	ICP/ECP Congestion (Configuration 1) - Data Store Naming Path	3-15
Table 3-41.	ICP/ECP Congestion (Configuration 1) - Section Header Configuration	3-15
Table 3-42.	ICP/ECP Congestion (Configuration 1) - Record Configuration	3-15
Table 3-43.	ICP/ECP Congestion (Configuration 2) - Data Store Naming Path	3-15
Table 3-44.	ICP/ECP Congestion (Configuration 2) - Section Header Configuration	3-16
Table 3-45.	ICP/ECP Congestion (Configuration 2) - Record Configuration	3-16
Table 3-46.	ICP/ECP Congestion (Configuration 3) - Data Store Naming Path	3-16

Table 3-47.	ICP/ECP Congestion (Configuration 3) - Section Header Configuration	3-16
Table 3-48.	ICP/ECP Congestion (Configuration 3) - Record Configuration	3-17
Table 3-49.	ICP/ECP Levels of Congestion (Configuration 1) - Data Store Naming Path	3-17
Table 3-50.	ICP/ECP Levels of Congestion (Configuration 1) - Section Header Configuration	3-18
Table 3-51.	ICP/ECP Levels of Congestion (Configuration 1) - Record Configuration	3-18
Table 3-52.	ICP/ECP Levels of Congestion (Configuration 2) - Data Store Naming Path	3-18
Table 3-53.	ICP/ECP Levels of Congestion (Configuration 2) - Section Header Configuration	3-19
Table 3-54.	ICP/ECP Levels of Congestion (Configuration 2) - Record Configuration	3-19
Table 3-55.	ICP/ECP Levels of Congestion (Configuration 3) - Data Store Naming Path	3-19
Table 3-56.	ICP/ECP Levels of Congestion (Configuration 3) - Section Header Configuration	3-20
Table 3-57.	ICP/ECP Levels of Congestion (Configuration 3) - Record Configuration	3-20
Table 3-58.	Ingress/Egress Buffer Traffic Load (Configuration 1) - Data Store Naming Path	3-21
Table 3-59.	Ingress/Egress Buffer Traffic Load (Configuration 1) - Section Header Configuration	3-21
Table 3-60.	Ingress/Egress Buffer Traffic Load (Configuration 1) - Record Configuration	3-21
Table 3-61.	Ingress/Egress Buffer Traffic Load (Configuration 2) - Data Store Naming Path	3-22
Table 3-62.	Ingress/Egress Buffer Traffic Load (Configuration 2) - Section Header Configuration	3-22
Table 3-63.	Ingress/Egress Buffer Traffic Load (Configuration 2) - Record Configuration	3-22
Table 3-64.	Ingress/Egress Buffer Traffic Load (Configuration 3) - Data Store Naming Path	3-23
Table 3-65.	Ingress/Egress Buffer Traffic Load (Configuration 3) - Section Header Configuration	3-23
Table 3-66.	Ingress/Egress Buffer Traffic Load (Configuration 3) - Record Configuration	3-23
Table 3-67.	Ingress/Egress Buffer Congestion (Configuration 1) - Data Store Naming Path	3-24
Table 3-68.	Ingress/Egress Buffer Congestion (Configuration 1) - Section Header Configuration	3-24
Table 3-69.	Ingress/Egress Buffer Congestion (Configuration 1) - Record Configuration	3-24

Table 3-70.	Ingress/Egress Buffer Congestion (Configuration 2) - Data Store Naming Path	3-25
Table 3-71.	Ingress/Egress Buffer Congestion (Configuration 2) - Section Header Configuration	3-25
Table 3-72.	Ingress/Egress Buffer Congestion (Configuration 2) - Record Configuration	3-25
Table 3-73.	Ingress/Egress Buffer Congestion (Configuration 3) - Data Store Naming Path	3-26
Table 3-74.	Ingress/Egress Buffer Congestion (Configuration 3) - Section Header Configuration	3-26
Table 3-75.	Ingress/Egress Buffer Congestion (Configuration 3) - Record Configuration	3-26
Table 3-76.	Ingress/Egress Buffer Levels of Congestion (Configuration 1) - Data Store Naming Path	3-27
Table 3-77.	Ingress/Egress Buffer Levels of Congestion (Configuration 1) - Section Header Configuration	3-27
Table 3-78.	Ingress/Egress Buffer Levels of Congestion (Configuration 1) - Record Configuration	3-27
Table 3-79.	Ingress/Egress Buffer Levels of Congestion (Configuration 2) - Data Store Naming Path	3-28
Table 3-80.	Ingress/Egress Buffer Levels of Congestion (Configuration 2) - Section Header Configuration	3-28
Table 3-81.	Ingress/Egress Buffer Levels of Congestion (Configuration 2) - Record Configuration	3-28
Table 3-82.	Ingress/Egress Buffer Levels of Congestion (Configuration 3) - Data Store Naming Path	3-29
Table 3-83.	Ingress/Egress Buffer Levels of Congestion (Configuration 3) - Section Header Configuration	3-29
Table 3-84.	Ingress/Egress Buffer Levels of Congestion (Configuration 3) - Record Configuration	3-29
Table 3-85.	Card Buffer Traffic Load (Configuration 1) - Data Store Naming Path	3-30
Table 3-86.	Card Buffer Traffic Load (Configuration 1) - Section Header Configuration	3-30
Table 3-87.	Card Buffer Traffic Load (Configuration 1) - Record Configuration	3-30
Table 3-88.	Card Buffer Traffic Load (Configuration 2) - Data Store Naming Path	3-31
Table 3-89.	Card Buffer Traffic Load (Configuration 2) - Section Header Configuration	3-31
Table 3-90.	Card Buffer Traffic Load (Configuration 2) - Record Configuration	3-31
Table 3-91.	Card Buffer Traffic Load (Configuration 3) - Data Store Naming Path	3-32
Table 3-92.	Card Buffer Traffic Load (Configuration 3) - Section Header Configuration	3-32

Table 3-93.	Card Buffer Traffic Load (Configuration 3) - Record Configuration	3-32
Table 3-94.	Card Buffer Congestion (Configuration 1) - Data Store Naming Path	3-33
Table 3-95.	Card Buffer Congestion (Configuration 1) - Section Header Configuration	3-33
Table 3-96.	Card Buffer Congestion (Configuration 1) - Record Configuration	3-33
Table 3-97.	Card Buffer Congestion (Configuration 2) - Data Store Naming Path	3-34
Table 3-98.	Card Buffer Congestion (Configuration 2) - Section Header Configuration	3-34
Table 3-99.	Card Buffer Congestion (Configuration 2) - Record Configuration	3-34
Table 3-100.	Card Buffer Congestion (Configuration 3) - Data Store Naming Path	3-34
Table 3-101.	Card Buffer Congestion (Configuration 3) - Section Header Configuration	3-35
Table 3-102.	Card Buffer Congestion (Configuration 3) - Record Configuration	3-35
Table 3-103.	Card Buffer Levels of Congestion (Configuration 1) - Data Store Naming Path	3-36
Table 3-104.	Card Buffer Levels of Congestion (Configuration 1) - Section Header Configuration	3-36
Table 3-105.	Card Buffer Levels of Congestion (Configuration 1) - Record Configuration	3-36
Table 3-106.	Card Buffer Levels of Congestion (Configuration 2) - Data Store Naming Path	3-37
Table 3-107.	Card Buffer Levels of Congestion (Configuration 2) - Section Header Configuration	3-37
Table 3-108.	Card Buffer Levels of Congestion (Configuration 2) - Record Configuration	3-37
Table 3-109.	Card Buffer Levels of Congestion (Configuration 3) - Data Store Naming Path	3-38
Table 3-110.	Card Buffer Levels of Congestion (Configuration 3) - Section Header Configuration	3-38
Table 3-111.	Card Buffer Levels of Congestion (Configuration 3) - Record Configuration	3-38
Table 3-112.	Operations and Signaling Processor Performance (Configuration 1) - Data Store Naming Path	3-39
Table 3-113.	Operations and Signaling Processor Performance (Configuration 1) - Section Header Configuration	3-39
Table 3-114.	Operations and Signaling Processor Performance (Configuration 1) - Record Configuration	3-39
Table 3-115.	Operations and Signaling Processor Performance (Configuration 2) - Data Store Naming Path	3-40

Table 3-116.	Operations and Signaling Processor Performance (Configuration 2) - Section Header Configuration	3-40
Table 3-117.	Operations and Signaling Processor Performance (Configuration 2) - Record Configuration	3-40
Table 3-118.	Operations and Signaling Processor Performance (Configuration 3) - Data Store Naming Path	3-40
Table 3-119.	Operations and Signaling Processor Performance (Configuration 3) - Section Header Configuration	3-41
Table 3-120.	Operations and Signaling Processor Performance (Configuration 3) - Record Configuration	3-41
Table 3-121.	VC Traffic Load - Data Store Naming Path	3-42
Table 3-122.	VC Traffic Load - Section Header Configuration	3-42
Table 3-123.	VC Traffic Load - Record Configuration	3-42
Table 3-124.	VC UPC/NPC - Data Store Naming Path	3-42
Table 3-125.	VC UPC/NPC - Section Header Configuration	3-43
Table 3-126.	VC UPC/NPC - Record Configuration	3-43
Table 3-127.	Trunk Group Performance - Data Store Naming Path	3-43
Table 3-128.	Trunk Group Performance - Section Header Configuration	3-44
Table 3-129.	Trunk Group Performance - Record Configuration	3-44
Table 3-130.	Connection Manager Performance - Data Store Naming Path	3-44
Table 3-131.	Connection Manager Performance - Section Header Configuration	3-45
Table 3-132.	Connection Manager Performance - Record Configuration	3-45
Table 3-133.	Interworking Unit AAL Type One - Data Store Naming Path	3-45
Table 3-134.	Interworking Unit AAL Type One - Section Header Configuration	3-45
Table 3-135.	Interworking Unit AAL Type One - Record Configuration	3-46
Table 3-136.	Interworking Unit AAL Type Five - Data Store Naming Path	3-46
Table 3-137.	Interworking Unit AAL Type Five - Section Header Configuration	3-46
Table 3-138.	Interworking Unit AAL Type Five - Record Configuration	3-46
Table 3-139.	Interworking Unit Interface Equipment Performance - Data Store Naming Path	3-47
Table 3-140.	Interworking Unit Interface Equipment Performance - Section Header Configuration	3-47
Table 3-141.	Interworking Unit Interface Equipment Performance - Record Configuration	3-47
Table 4-1.	Keyword Definition	4-1