

Contents

Special Report Notice Of Disclaimer	iii
List of Figures	xi
List of Tables	xiii
Foreword	xv
1. Introduction and Summary	1-1
1.1 Purpose and Scope	1-1
1.2 Organization of this Document	1-1
1.3 Related Documents	1-2
1.4 Executive Summary	1-3
1.4.1 The SS7 Protocol and Common Channel Signaling (Sections 2 and 3)	1-3
1.4.2 SS7 CCS Network Architectures (Section 4)	1-4
1.4.3 Recent Deployments (Section 5)	1-5
1.4.4 Key Network Evolution Trends and Signaling Impacts (Section 6)	1-6
1.4.4.1 Bearer Independent Call Control (BICC)	1-6
1.4.4.2 IP-Based Signaling Transport	1-6
1.4.4.3 Data-Centric Protocols and SS7 Interworking	1-7
2. Overview of Network Signaling in the Public Switched Telephone Network (PSTN)	2-1
2.1 Background: Network Signaling	2-1
2.1.1 The PSTN and the Role of Network Signaling	2-1
2.1.2 In-band Signaling	2-1
2.1.3 Common Channel Signaling and SS7	2-1
2.2 CCS Network Elements, Functions, and Connectivity	2-3
2.2.1 SS7-Capable Switching Systems	2-4
2.2.2 Service Control Points (SCPs)	2-5
2.2.3 Signaling Transfer Points (STPs)	2-6
2.2.4 CCS Node Connectivity	2-7
2.2.4.1 Signaling Links	2-8
2.2.4.2 Signaling Link Sets	2-8
2.2.4.3 Link Set Types	2-8
2.3 Network Signaling Interactions and Supported Services	2-9
2.3.1 PSTN Call Control/Trunk Signaling	2-9
2.3.2 Data Base Services	2-10
2.3.2.1 IN/1 Data Base Services	2-10
2.3.2.2 Advanced Intelligent Network (AIN) Services	2-11
2.3.2.3 LNP LRN Data Base Translations	2-12
2.3.3 Switch-to-Switch Signaling for Call Management Services	2-12
2.3.3.1 CLASS AC/AR/SLE	2-12
2.3.3.2 Interswitch Voice Messaging (ISVM) / Message Waiting Indicator (MWI)	2-13
2.3.4 ISDN Access Signaling	2-14
3. SS7 Protocol Functional Description	3-1
3.1 The SS7 Protocol Model	3-1

- 3.2 Message Transfer Part (MTP) 3-3
 - 3.2.1 Signaling Data Link Functions (MTP Level 1) 3-3
 - 3.2.2 Signaling Link-Layer Functions (MTP Level 2) 3-4
 - 3.2.3 Signaling Network Functions (MTP Level 3) 3-5
 - 3.2.3.1 Signaling Message Handling Functions 3-5
 - 3.2.3.2 Signaling Network Management Functions 3-6
 - 3.2.3.2.1 Signaling Link Management 3-6
 - 3.2.3.2.2 Signaling Traffic Management 3-8
 - 3.2.3.2.3 Signaling Route Management 3-11
 - 3.2.3.3 MTP Testing and Maintenance (T&M) Functions 3-12
 - 3.2.4 MTP - User Part Interactions 3-14
- 3.3 ISDN User Part (ISUP) 3-15
- 3.4 Signaling Connection Control Part (SCCP) 3-17
 - 3.4.1 Overview of SCCP Connectionless Functions 3-18
 - 3.4.1.1 Provided Services 3-18
 - 3.4.1.2 SCCP Functional Modules 3-19
 - 3.4.1.3 Roadmap to SCCP Protocol Specifications 3-19
 - 3.4.2 SCCP UDT Message Parameters and GTT Routing 3-20
 - 3.4.3 SCCP Management Functions 3-21
 - 3.4.3.1 Signaling Point Status Management 3-22
 - 3.4.3.2 Subsystem Status Management 3-22
 - 3.4.3.3 Traffic Information Management 3-23
 - 3.4.4 SCCP Upper Layer Primitives 3-23
 - 3.4.5 Unimplemented Extensions to SCCP 3-25
 - 3.4.5.1 XUDT and LUDT Messages 3-25
 - 3.4.5.2 ISNI and INS Functions 3-26
- 3.5 Transaction Capabilities Application Part (TCAP) 3-26
 - 3.5.1 Overview of TCAP Interactions and Messages 3-27
 - 3.5.1.1 Transactions, Components, and TCAP Message Structure 3-27
 - 3.5.1.2 Transaction Portion 3-28
 - 3.5.1.3 Component Portion 3-29
 - 3.5.2 Roadmap to the TCAP Protocol Specification 3-30
 - 3.5.3 Service-Specific TCAP Specifications 3-31
- 3.6 Other SS7 User Parts 3-32
 - 3.6.1 The Operations, Maintenance, and Administration Part (OMAP) 3-32
 - 3.6.2 The Broadband ISDN User Part (BISUP) 3-33
 - 3.6.3 Bearer Independent Call Control (BICC) 3-33

- 4. SS7 CCS Network Architecture 4-1
 - 4.1 Local Exchange Carrier (LEC) CCS Networks 4-1
 - 4.1.1 General 4-1
 - 4.1.2 Evolution of CCS Network Structure 4-1
 - 4.1.2.1 Mid-1980s through Mid-1990s 4-2
 - 4.1.2.2 Drivers of Change for LEC CCS Network Structure 4-4
 - 4.1.2.2.1 Regulatory Drivers 4-4
 - 4.1.2.2.2 Service and Traffic Drivers 4-6
 - 4.1.2.3 Resulting Trends Toward LEC CCS Network Consolidation 4-6
 - 4.2 LEC CCS Network Interconnection 4-9

4.2.1	Interconnecting CCS Networks (ICNs)	4-9
4.2.2	Internetwork Signaling	4-9
4.2.3	Network Interconnection Architectures	4-10
4.2.4	CCS Network Interconnection Specifications (CCSNIS)	4-11
4.2.5	Network Interconnection Provisioning	4-13
4.3	CCS Hub Provider Networks	4-13
4.3.1	The Need for SS7 Connectivity Providers	4-13
4.3.2	CCS Hub Provider Networks, Services, and Customers	4-14
4.4	International Signaling Networks	4-17
4.4.1	National and International CCS Networks and Protocols	4-17
4.4.2	International Signaling Standards	4-18
4.4.3	International and National Signaling Networks Structure	4-19
5.	Recent Protocol Developments and Network Deployments	5-1
5.1	Asynchronous Transfer Mode (ATM)-Based High-Speed Signaling Links (ATM HSLs)	5-1
5.1.1	Background	5-1
5.1.2	ATM HSL Protocol Architecture	5-2
5.1.2.1	Protocol Stack Overview	5-3
5.1.2.2	Physical Layer	5-4
5.1.2.3	ATM Layer	5-5
5.1.2.3.1	Overview of ATM Technology	5-5
5.1.2.3.2	Application of ATM to HSLs	5-6
5.1.2.4	Signaling ATM Adaptation Layer (SAAL)	5-7
5.1.2.4.1	AAL Common Part (CP) - Type 5 (CP-AAL5)	5-8
5.1.2.4.2	Service Specific Connection Oriented Protocol (SSCOP)	5-8
5.1.2.4.3	Service Specific Coordination Function (SSCF)	5-8
5.1.2.4.4	SAAL Layer Management (LM)	5-9
5.1.2.5	MTP Level 3 (MTP3) Changes	5-9
5.1.3	Deployment of ATM HSLs	5-9
5.1.3.1	ATM HSL Deployment Drivers	5-9
5.1.3.2	LEC CCS Network Architecture for HSL Deployment	5-10
5.1.3.2.1	Primary Applications	5-10
5.1.3.2.2	Potential Use of ATM HSLs in CCS Network Interconnection	5-12
5.1.4	Limitations of ATM HSLs	5-13
5.2	Signaling for Local Number Portability (LNP) and Number Pooling	5-14
5.2.1	LNP Background	5-14
5.2.1.1	LNP Regulatory and Business Drivers	5-15
5.2.1.2	Regulatory Requirements and Numbering Plan	5-15
5.2.2	LNP Service and Signaling Architectures	5-15
5.2.2.1	LNP Terminology	5-16
5.2.2.2	LNP Network Elements	5-17
5.2.2.3	LNP Call Processing and Signaling for Call Completion	5-18
5.2.2.4	LNP Message Relay (MR) To Support Vertical Service Operation [NP-GTT]	5-20
5.2.2.4.1	The Need for MR/NP-GTTs	5-20
5.2.2.4.2	LNP MR/NP-GTT Functionality	5-21

- 5.2.2.4.3 MR/NP-GTTs Compared to Conventional GTTs 5-23
- 5.2.2.4.4 MR/NP-GTT Internetwork Routing Architectures 5-24
- 5.2.3 LNP's Extension to Telephone Number Pooling (TNP) 5-29
- 5.2.4 LEC CCS Network Architecture Impacts from LNP/TNP 5-31
 - 5.2.4.1 LRN Data Base Deployment Options 5-31
 - 5.2.4.2 MRP/NP-GTT Deployment Options 5-33
- 6. Key Network Evolution Trends and Signaling Impacts 6-1
 - 6.1 Evolution of the PSTN and CCS Network to Include ATM and IP Capabilities 6-1
 - 6.1.1 SS7 Call and Service Control with Voice Bearer Over ATM/IP 6-1
 - 6.1.1.1 Overview 6-1
 - 6.1.1.1.1 Drivers of Packet-Based Bearer Networks 6-1
 - 6.1.1.1.2 Bearer-Independent Call Control (BICC) 6-2
 - 6.1.1.2 Initial BICC Architecture 6-3
 - 6.1.1.3 BICC Protocol 6-6
 - 6.1.1.3.1 The BICC Protocol Model 6-6
 - 6.1.1.3.2 Signaling Transport Converters (STCs) 6-7
 - 6.1.1.4 BICC Call Flows 6-9
 - 6.1.1.5 Benefits and Applications of BICC 6-12
 - 6.1.1.6 Enhanced BICC Architecture 6-14
 - 6.1.1.7 Industry Status of BICC: Standards and Requirements 6-16
 - 6.1.1.7.1 ITU-T Study Group 11 (SG 11) 6-16
 - 6.1.1.7.2 T1S1 6-18
 - 6.1.1.7.3 Telcordia Generic Requirements 6-19
 - 6.1.2 SS7 Signaling Transport Over IP Networks 6-20
 - 6.1.2.1 Overview 6-20
 - 6.1.2.2 IETF SIGTRAN Protocols 6-21
 - 6.1.2.2.1 Context: Voice Over Packet (VoP) Network Architectures . . 6-21
 - 6.1.2.2.2 SIGTRAN Protocol Architecture 6-23
 - 6.1.2.2.3 Stream Control Transmission Protocol (SCTP) 6-25
 - 6.1.2.2.4 MTP3 User Adaptation Layer (M3UA) 6-26
 - 6.1.2.2.5 MTP2 User Adaptation Layer (M2UA) 6-27
 - 6.1.2.2.6 MTP2 Peer-to-Peer User Adaptation Layer (M2PA) 6-28
 - 6.1.2.2.7 SCCP User Adaptation Layer (SUA) 6-29
 - 6.1.2.2.8 Status of IETF SIGTRAN Protocol Development 6-30
 - 6.1.2.2.9 Application of SIGTRAN Protocols to Carrier Networks . . . 6-31
 - 6.1.2.3 SIGTRAN Applications to VoP Networks 6-31
 - 6.1.2.3.1 VoP Deployment Drivers 6-31
 - 6.1.2.3.2 Choice of SIGTRAN Adaptation Layer Protocols 6-32
 - 6.1.2.4 Application of SIGTRAN Protocols to Link Replacement in CCS Networks 6-33
 - 6.1.2.4.1 IP-Based Virtual High-Speed Signaling Links (IPVHSLs) . . . 6-33
 - 6.1.2.4.2 IPVHSL Protocol Architecture 6-34
 - 6.1.2.4.3 IPVHSL Network Architecture 6-36
 - 6.1.2.4.4 Motivation for M2PA-Based IPVHSL Deployment 6-39
 - 6.1.2.5 SSCOP-MCE 6-41
 - 6.2 Deployment of IP-Centric Networks for Voice 6-42
 - 6.2.1 Voice over IP Backbone Network 6-42

6.2.2 Voice over Packet Cable TV Networks	6-45
Appendix A: References	A-1
A.1 Telcordia Documents	A-1
A.2 American National Standards Institute (ANSI) Documents	A-4
A.3 International Telecommunication Union - Telecommunication Standardization Sector (ITU-T) Recommendations and Technical Requirements	A-5
A.4 ATM Forum Documents	A-7
A.5 Internet Engineering Task Force (IETF) Documents	A-7
A.6 CableLabs Documents	A-8
Appendix B: Acronyms	B-1

List of Figures

Figure 2-1	CCS Network Elements	2-3
Figure 2-2	CCS Node Connectivity and SS7 Link Set Types	2-7
Figure 3-1	SS7 Protocol Architecture	3-1
Figure 3-2	TCAP Message Structure	3-27
Figure 4-1	Large LEC Typical CCS Network Architecture Prior to TA96	4-3
Figure 4-2	Typical Large LEC Consolidated CCS Network Architecture	4-7
Figure 4-3	LEC CCS Network Interconnection Arrangements	4-10
Figure 4-4	CCS Hub Provider Networks and Served Carriers	4-15
Figure 4-5	Structural Independence of the International and National Signaling Networks	4-19
Figure 5-1	ATM HSL Protocol Architecture	5-3
Figure 5-2	ATM Cell Structure	5-5
Figure 5-3	LEC ATM HSL Deployment (Intra-network)	5-11
Figure 5-4	Example Architectures for ATM HSLs Used in CCS Network Interconnection	5-13
Figure 5-5	LNP Call Completion Example - SCP LRN Data Base	5-20
Figure 5-6	LNP Message Relay Processing - CLASS Example	5-22
Figure 5-7	Internetwork CLASS MR Example Illustrating the ICC Approach for Intermediate Translations (Double Dipping)	5-25
Figure 5-8	Example of Transient Looping Due to MR Translations Synchronization Delays	5-25
Figure 5-9	Internetwork CLASS MR Example Illustrating the Telcordia Approach for Intermediate Translations (Single Translation in Originating Network)	5-27
Figure 5-10	Centralized LRN Data Base, GTTs at RSTPs	5-32
Figure 5-11	Centralized LRN Data Base, GTTs at LSTPs	5-33
Figure 5-12	Distributed LRN Data Bases, GTTs at LSTPs	5-33
Figure 5-13	Centralized STP-Based MR/NP-GTT Architecture with Initial 6-Digit GTTs	5-35
Figure 5-14	Distributed STP-Based MR Architecture Without Initial 6-Digit GTTs	5-35
Figure 6-1	Initial BICC Architecture - Tandem Replacement	6-4
Figure 6-2	Protocol Model for BICC	6-6
Figure 6-3	BICC Signaling Transport	6-7
Figure 6-4	Backward ATM Bearer Connection Set-up with COT	6-9
Figure 6-5	IP Bearer Set-up Using Bearer Control Tunneling with COT	6-12
Figure 6-6	Enhanced BICC Architecture	6-14
Figure 6-7	VoP/NGN Network Architecture	6-22
Figure 6-8	SIGTRAN Protocol Architecture	6-24
Figure 6-9	SCTP Protocol Architecture	6-25
Figure 6-10	M3UA Protocol Architecture Example	6-26
Figure 6-11	M2UA Protocol Architecture Example	6-27
Figure 6-12	M2PA Protocol Architecture Example	6-28
Figure 6-13	SUA Protocol Architecture Example	6-29

Figure 6-14	IPVHSL Protocol Architecture	6-35
Figure 6-15	IPVHSLs in LEC CCS Networks	6-36
Figure 6-16	Potential Deployment of IPVHSLs for Network Interconnection	6-38
Figure 6-17	VoIP Backbone Network Using SIP-T	6-43
Figure 6-18	Interworking with Cable Networks	6-46

List of Tables

Table 3-1	MTP - User Part Primitives	3-14
Table 3-2	SCCP Upper Layer Primitives for Connectionless Service and SCCP Management	3-23
Table 3-3	TCAP Peer-to-Peer Operation Protocol Data Units (OPDUs) and Parameters	3-29
Table 4-1	List of Main ITU-T SS7 Recommendations	4-18
Table 6-1	ITU-T Documentation for the BICC CS 1 Architecture	6-16
Table 6-2	ITU-T Documentation for BICC CS 2 Architecture	6-17
Table 6-3	Summary of Key SIGTRAN Documents	6-31