

Table of Contents

1 Introduction

1.1 Purpose and Scope of This Report	1-1
1.2 Organization of This Report	1-1

2 Properties of PCP

3 Analytical Methodology

3.1 Summary of Methods	3-1
3.2 Development of the Analytical Method	3-1

4 Experimental Methods

4.1 Determining PCP Distribution in Wood	4-1
4.2 Leaching-Study Methodology	4-2
4.3 Analytical Quality Assurance	4-4

5 Results and Discussion

5.1 PCP in Wood	5-1
5.2 PCP Leaching Studies	5-3

6 Conclusions

6.1 Analytical Method	6-1
6.2 PCP in Wood	6-1
6.3 PCP Leaching from Wood	6-1

Appendix A: References

List of Figures

Figure 2-1	Molecular Structures of PCP	2-1
Figure 3-1	Chromatogram of a Leachate Sample	3-2
Figure 3-2	Chromatogram of Southern-Pine Extract	3-4
Figure 3-3	Chromatogram of Southern-Pine Extract with UV Spectra of the Peaks	3-6
Figure 3-4	Chromatogram of PCP Standard with UV Spectra of the Peaks . . .	3-7
Figure 3-5	GC-MS Chromatogram of Pine Extract with MS Spectrum of Major Peak	3-8
Figure 3-6	GC-MS Chromatogram of HPLC Eluate Containing the PCP Peak .	3-9
Figure 3-7	GC-MS Chromatogram of PCP Standard with MS Spectrum of Major Peak	3-9
Figure 4-1	Pattern for Drilling Samples from Cross-Sectional Pieces of Pole .	4-2
Figure 4-2	Samples Prepared for Leaching Study	4-3
Figure 5-1	Pattern for Drilling Samples from Cross-Sectional Pieces of Pole .	5-2
Figure 5-2	Effect of Temperature on Leaching Rates of Southern Pine	5-4
Figure 5-3	Leaching Rate per Square Inch of Surface	5-5
Figure 5-4	Leaching Study No.2 - Southern Pine at 30°C	5-6
Figure 5-5	Smoothed Leaching-Study Data, Southern Pine, 30°C	5-7
Figure 5-6	Leaching-Study Data, Douglas Fir, 20°C	5-9
Figure 5-7	Leaching-Study Data, Douglas Fir, 30°C	5-10
Figure 5-8	Smoothed Leaching-Study Data, Douglas Fir, 20°C	5-11
Figure 5-9	Smoothed Leaching-Study Data, Douglas Fir, 30°C	5-12
Figure 5-10	Leaching-Study Data, Douglas Fir, pH 7, at 20° and 30°C	5-13
Figure 5-11	Smoothed Leaching-Study Data, Douglas Fir, pH 7, at 20° and 30°C	5-14

List of Tables

Table 2-1	Reported Aqueous Solubility of PCP	2-1
Table 4-1	Reproducibility of Analyses for Seven Replicates	4-5
Table 4-2	Recovery of Spiked Standard from Various Solutions	4-6
Table 4-3	Comparison of NJIT and Stevens Analyses	4-6
Table 5-1	PCP Content of Newly Treated Southern Pine Poles	5-1
Table 5-2	Percent PCP in Southern Pine Poles After 13 Years' Service	5-1
Table 5-3	PCP Content of Treated Douglas Fir Pole	5-2
Table 5-4	Initial Study on Southern Pine	5-3
Table 5-5	Total Amount of PCP Leached in 45 Days from Southern Pine Samples	5-5
Table 5-6	Data from Leaching Study on Douglas Fir Samples	5-8
Table 5-7	Total Amount of PCP Leached from Douglas Fir Samples	5-14