

Contents

SPECIAL REPORT NOTICE OF DISCLAIMER	iii
List of Figures	vii
List of Tables	ix
1. INTRODUCTION	1-1
1.1 Purpose of the Document	1-1
1.2 Target Audience	1-1
1.3 How to Read this Document	1-2
2. Overview	2-1
3. TRANSACTION-ORIENTED PROTOCOL (TOP)	3-1
3.1 TOP Session Layer Protocol	3-1
3.1.1 Introduction	3-1
3.1.2 Session Initiation	3-1
3.1.2.1 Session Connection	3-1
3.1.2.2 Session Acceptance	3-3
3.1.2.3 Session Rejection	3-4
3.1.3 Session Data Transfer	3-7
3.1.3.1 Transfer of Higher-Level Commands	3-7
3.1.3.2 Transfer of Higher-Level Data	3-7
3.1.4 Session Termination	3-8
3.1.4.1 Normal Session Termination	3-9
3.1.4.2 Abnormal Session Termination	3-9
3.1.5 Session Layer Error Procedures	3-11
3.1.6 Additional Session Layer Tables	3-11
3.2 TOP Presentation Layer Protocol	3-12
3.2.1 Presentation Initiation	3-12
3.2.1.1 Default Presentation Service Name	3-13
3.2.1.2 Data Format Descriptor	3-13
3.2.1.3 Presentation Parameter Negotiation	3-13
3.2.2 Presentation Data Transfer	3-15
3.2.2.1 Presentation Service Name	3-15
3.2.2.2 Return Presentation Service Name	3-16
3.2.3 Presentation Layer Error Procedures	3-16
3.2.3.1 Invalid PSN	3-16
3.3 TOP Application Layer Protocol	3-17
3.3.1 Application Layer Initiation	3-17
3.3.1.1 Application Parameter Negotiation	3-17
3.3.1.2 Application Layer Resynchronization	3-19
3.3.1.3 Start of Application Data Transfer	3-20
3.3.2 Application Data Transfer	3-21
3.3.2.1 Application Message Structure	3-21
3.3.2.2 Application Message Flow	3-23
3.3.2.3 Application Message Acknowledgment	3-23
3.3.3 Application Layer Termination	3-25

- 3.3.3.1 Normal Termination 3-25
- 3.3.3.2 Abort Disconnection 3-26
- 3.3.4 Application Layer Error Procedures 3-26
 - 3.3.4.1 Recoverable Errors 3-27
 - 3.3.4.2 Non-recoverable Errors 3-27
- 4. DATA TRANSFER USING TOP. EXAMPLES 4-1
 - 4.1 Initiation 4-1
 - 4.2 Data Transfer 4-1
 - 4.2.1 Message Flow and Confirmation 4-2
 - 4.2.2 Asynchronous Processing 4-3
 - 4.2.3 Transaction and Presentation Service Addressing 4-4
 - 4.3 Termination 4-5
- 5. IMPLEMENTATION CONSIDERATIONS 5-1
 - 5.1 TOP over X.25 5-1
 - 5.2 TOP over TCP/IP using RFC 1006 5-1
- Appendix A: REFERENCES A-1

List of Figures

Figure 2-1	Protocol Layers of TOP	2-1
Figure 4-1	Session Initiation	4-2
Figure 4-2	Message Flow and Confirmation	4-3
Figure 4-3	Asynchronous Processing	4-4
Figure 4-4	Transaction and Presentation Processing	4-5
Figure 4-5	Termination	4-6

List of Tables

Table 3-1	Session Connect Message (SCM)	3-2
Table 3-2	Presentation Type Identifier	3-3
Table 3-3	Session Accept Message (SAM)	3-4
Table 3-4	Session Reject Message (SRM)	3-5
Table 3-5	Session Reject Reason Identifier	3-6
Table 3-6	Command Header	3-7
Table 3-7	Session Protocol Data Unit (SPDU) Header - Not Last	3-8
Table 3-8	Session Protocol Data Unit (SPDU) Header - Last	3-8
Table 3-9	Session Normal Disconnect Message (SNDM)	3-9
Table 3-10	Session Abort Disconnect Message (SADM)	3-10
Table 3-11	Session Disconnect Reason Identifier	3-10
Table 3-12	Session Layer Timers	3-11
Table 3-13	Session Layer Attempt Counters	3-11
Table 3-14	Presentation Layer Parameter Block Format	3-12
Table 3-15	Presentation Layer Parameters	3-12
Table 3-16	Presentation Layer Reject Parameter	3-14
Table 3-17	Presentation Layer Rejection Reason Codes	3-15
Table 3-18	Presentation Service Name	3-16
Table 3-19	Return Presentation Service Name	3-16
Table 3-20	Application Layer Window Size Parameter	3-18
Table 3-21	Application Layer Reject Parameter	3-18
Table 3-22	Application Layer Rejection Reason Codes	3-18
Table 3-23	Application Layer Resynchronization Message (ALRM)	3-20
Table 3-24	Application Layer Protocol Data Unit (APDU)	3-21
Table 3-25	Application Layer Protocol Data Unit (APDU) Header	3-22
Table 3-26	Application Layer Confirmation Message (ALCM)	3-24
Table 3-27	Application Layer Negative Confirmation Message (ALNCM)	3-24
Table 3-28	Application Layer Negative Confirmation Reasons	3-25
Table 3-29	Application Layer Stop Message Initiation Command (ALSMI)	3-26
Table 3-30	Application Layer Message Initiation Stopped Command (ALMIS)	3-26