
DC Bulk Power System for Confined Locations

Contents

1. Introduction	1-1
1.1 Purpose and Scope.....	1-1
1.2 Reasons for Reissue.....	1-1
1.3 Organization	1-2
1.4 Requirements Terminology.....	1-3
2. General Information	2-1
2.1 General System Description.....	2-1
2.2 Functional Elements of the PCOLO.....	2-1
2.2.1 General Attributes.....	2-1
2.2.2 Plant.....	2-2
2.2.3 Distribution and Overcurrent Protection	2-2
2.2.4 Batteries	2-2
2.2.5 Status Indicators and Alarms.....	2-2
2.2.6 Controls	2-2
2.2.7 Rectifiers.....	2-2
2.2.8 Data Acquisition and History	2-2
3. General Requirements	3-1
3.1 General Design Requirements.....	3-1
3.1.1 Fail-Safe Design	3-1
3.1.2 Open Architecture.....	3-1
3.2 Engineering, Installation, and Maintenance	3-1
3.2.1 Code Compliance	3-1
3.2.2 Fire Resistance.....	3-1
3.2.3 Environmental Requirements	3-2
3.2.4 Electromagnetic Interference (EMI).....	3-2
3.2.5 Ground System	3-2
3.2.6 Electrostatic Discharge (ESD).....	3-2
3.2.7 Electrical Isolation.....	3-3
3.2.8 Withstand Surge Capability.....	3-4
3.2.9 Frame Current.....	3-4
3.2.10 Shipping Temperature and Humidity	3-4
3.2.11 Acoustical Noise.....	3-4

3.2.12	Protection and Hazards	3-5
3.2.13	Toxic Materials	3-6
3.2.14	Marking of Components	3-6
3.2.15	Replacement Parts	3-6
3.2.16	Nameplate	3-7
4.	Functional Requirements	4-1
4.1	Plant	4-1
4.1.1	Definition	4-1
4.1.2	Voltage Regulation Point	4-2
4.2	Charge and Discharge Distribution System	4-2
4.2.1	Current Capacity	4-2
4.2.2	Load Sharing	4-3
4.2.3	Charge and Discharge Buses	4-3
4.2.4	Charge and Discharge Bus Overcurrent Protection and Disconnect	4-4
4.2.5	Transient Limits	4-4
4.3	Battery	4-5
4.3.1	General	4-5
4.3.2	Battery Type	4-5
4.3.3	Voltage and Regulation Limits	4-5
4.3.4	Float Voltage Adjustment	4-5
4.3.5	Emergency Limits	4-6
4.3.6	Reserve Time	4-6
4.3.7	Recharge Time	4-6
4.3.8	Electrical Noise	4-7
4.3.9	Low Battery and Timed Discharge Disconnect	4-7
4.3.10	Battery Monitoring	4-7
4.3.11	Battery to Rectifier Interface	4-7
4.3.12	Battery to Controller Interface	4-8
4.4	Status Indications and Alarms	4-8
4.4.1	Requirements	4-8
4.4.2	Visual Alarms	4-9
4.4.3	Visual Alarm Color Codes	4-9
4.4.4	DC Bulk Power Plant Alarms	4-9
4.5	Control Functions	4-11
4.5.1	Functions	4-11
4.5.2	Requirements	4-11
4.5.3	Distribution Feeder Current Measurement	4-12
4.5.4	Alarm Cut-off Key	4-13
4.6	Rectifiers	4-13

4.6.1	General.....	4-13
4.6.2	Rectifier Type	4-13
4.6.3	Rectifier Output Capacity	4-13
4.6.4	AC Input Requirements	4-13
4.6.4.1	AC Input Source	4-13
4.6.4.2	Lightning Surge Capability	4-14
4.6.4.3	AC Grounding	4-15
4.6.4.4	Inrush Current.....	4-15
4.6.4.5	AC Input Protection.....	4-15
4.6.4.6	Low AC Voltage Protection	4-15
4.6.4.7	Power Interruption	4-16
4.6.4.8	Displacement Power Factor.....	4-16
4.6.4.9	Crest Factor.....	4-16
4.6.4.10	Total Current Harmonic Distortion	4-16
4.6.4.11	Telephone Influence Factor (TIF).....	4-17
4.6.5	DC Output Requirements	4-17
4.6.5.1	Voltage Output	4-17
4.6.5.2	Voltage Regulation	4-17
4.6.5.3	Float Voltage Adjustment.....	4-17
4.6.5.4	Voltage/Temperature Coefficient	4-17
4.6.5.5	Current Limit	4-18
4.6.5.6	Current Walk-In.....	4-18
4.6.5.7	Warm Up Time.....	4-18
4.6.5.8	Voltage Drift.....	4-19
4.6.5.9	Stability.....	4-19
4.6.5.10	Dynamic Response	4-19
4.6.5.11	Output Protection and Disconnect.....	4-20
4.6.5.12	Voice Frequency Output Noise	4-20
4.6.5.13	Wideband Output Noise	4-20
4.6.5.14	Efficiency.....	4-21
4.6.5.15	Capacitor Precharge.....	4-21
4.6.5.16	Discharge of Output Capacitors	4-21
4.6.5.17	Isolation	4-22
4.6.5.18	Induced Frame Current.....	4-22
4.6.6	Rectifier and Controller Interfaces	4-22
4.6.6.1	Interface Status and Signals.....	4-22
4.6.6.2	Internal High Voltage Shutdown.....	4-23
4.6.6.3	Current Limit Adjustment	4-24
4.6.6.4	Rectifier Test	4-24
4.6.6.5	Output Current Meter	4-24
4.6.6.6	Internal Protection	4-24
4.6.6.7	Jacks.....	4-24
4.6.6.8	Test Points	4-25

4.7	Data Acquisition and History Units	4-25
4.7.1	Software and Firmware Requirements	4-25
4.7.1.1	Modularity	4-25
4.7.1.2	Security	4-25
4.7.1.3	Failure Detection	4-25
4.7.2	Data Acquisition Gathering Points	4-26
4.7.2.1	General Requirements	4-26
4.7.2.2	Configuration	4-26
4.7.2.3	Sense Point Identification	4-26
4.7.2.4	Input Ranges	4-26
4.7.3	Date and Time Recording and Data Retention	4-27
4.7.3.1	Date and Time Recording	4-27
4.7.3.2	Data Retention	4-27
4.7.4	Local Status Indicator	4-27
4.7.5	Measurement Accuracy	4-28
4.7.6	Memory Retention	4-28
4.7.7	Input/Output Functions	4-28
4.7.7.1	Local Access Devices	4-28
4.7.8	Communications Port Requirements	4-29
4.7.8.1	Local Access	4-29
4.7.8.2	Remote Access Provisions	4-30
4.7.9	Dial-Out Notification Provisions	4-30
4.7.10	User Input	4-31
4.7.11	Command Language Requirements	4-31
4.7.11.1	Command Language Structure	4-31
4.7.11.2	Command Language Usage	4-32
4.7.11.3	Multi-Level Commands	4-32
4.7.11.4	Menu-Driven Operation	4-32
4.7.12	Data Communications	4-35
4.7.13	Interface Requirements for Mechanized Engineering and Inventory Record Systems	4-36
4.7.13.1	Hardware Requirements	4-36
4.7.13.2	Login Procedures	4-36
4.7.13.3	FORMAT, SDUMP, and FDUMP Commands	4-37
4.7.14	Security	4-38
4.7.14.1	Local Access	4-38
4.7.14.2	Remote Access	4-38
4.7.14.3	Password Requirements	4-39
4.7.14.4	Additional Security Requirements	4-39
4.7.15	Interfaces to DC Bulk Power Plant Controller	4-39
4.7.15.1	Measured Plant Operating Parameters	4-39
4.7.15.2	Plant Operating History	4-40
4.7.16	Plant Current and Voltage Calculations	4-40

5. Physical Design Requirements	5-1
5.1 Mounting Arrangements.....	5-1
5.2 Equipment Dimensions	5-1
5.2.1 General Requirements	5-1
5.2.2 Plant Requirements.....	5-1
5.3 Growth Capability	5-2
5.4 Shock and Vibration	5-2
5.5 Earthquake	5-2
5.6 Weight	5-2
5.7 Cooling	5-2
5.8 PWB Nesting	5-2
5.9 Materials	5-3
5.10 Handling	5-3
5.11 Paint.....	5-3
5.12 Instruments	5-3
5.13 Human Factors.....	5-3
5.14 Components	5-4
5.14.1 Transformers and Magnetic Coils	5-4
5.14.2 Hook-Up Wire	5-4
5.14.3 Power Conductors.....	5-6
5.14.4 Electrical and Mechanical Hardware.....	5-6
5.14.5 Electrical Power Wire Terminations	5-7
5.14.6 Resistors.....	5-8
5.14.7 Electrolytic Capacitors	5-8
5.14.8 Capacitors Except Electrolytic	5-9
5.14.9 Semiconductors	5-9
5.14.10 Fuses	5-9
5.14.11 Circuit Breakers.....	5-10
5.14.12 Meters	5-10
5.14.13 Relays	5-10
5.14.14 Switches.....	5-11
5.14.15 Printed Wire Boards (PWBs)	5-12
6. Quality and Reliability Requirements	6-1
6.1 Quality Assurance Programs and Processes.....	6-1
6.1.1 Hardware Quality Assurance Plan.....	6-1
6.1.1.1 Samples.....	6-1

6.1.1.2	Quality Assurance Documentation.....	6-1
6.1.2	Software Quality Assurance Plan.....	6-1
6.2	Reliability.....	6-2
6.2.1	General.....	6-2
6.2.2	Clock Power.....	6-2
6.2.3	Status Indicator Test Function.....	6-2
6.2.4	Rectifier Reliability.....	6-2
6.2.5	Display Reliability.....	6-2
7.	Documentation and Training Requirements.....	7-1
7.1	Documentation Requirements.....	7-1
7.2	Training Requirements.....	7-4
8.	Testing Procedures.....	8-1
8.1	Scope.....	8-1
8.1.1	General.....	8-1
8.1.2	Type Tests.....	8-1
8.2	Test Information.....	8-1
8.3	Specific Tests.....	8-2
8.3.1	Overview of Test Procedure.....	8-2
8.3.2	Additional Plant Tests.....	8-5
8.3.2.1	Code Compliance.....	8-5
8.3.2.2	Ground System.....	8-5
8.3.2.3	Battery.....	8-5
8.3.2.4	Voltage and Regulation Limits.....	8-5
8.3.2.5	Emergency Limits.....	8-5
8.3.2.6	Reserve Time.....	8-6
8.3.2.7	Recharge Time.....	8-6
8.3.3	Additional Rectifier Tests.....	8-6
8.3.3.1	Rectifier Type.....	8-6
8.3.3.2	Crest Factor.....	8-6
8.3.3.3	Total Harmonic Distortion.....	8-6
8.3.4	Additional Data Acquisition and Alarm Reporting Tests.....	8-6
8.3.4.1	Rectifier Reliability.....	8-6
9.	Glossary.....	9-1
	References.....	R-1

List of Figures

Figure 3-1. Integrated Ground System Arrangement	3-3
Figure 3-2. Simulated Withstand Surge Waveforms.....	3-5
Figure 4-1. DC Bulk Power System for Confined Locations (PCOLO): Block Diagram	4-1
Figure 4-2. Regulation Point and Loop Voltage Drop	4-2
Figure 4-3. Overview of Command Structure	4-34
Figure 7-1. Outline for User's Guide.....	7-3

List of Tables

Table 3-1. Electrical Isolation Test Voltages	3-4
Table 4-1. System Transient Voltage Limits.....	4-5
Table 4-2. DC Bulk Power Plant Alarms	4-10
Table 4-3. Range B Utilization Limits	4-14
Table 4-4. Current Walk-In Delay Characteristic	4-18
Table 4-5. Rectifier Efficiency Values	4-21
Table 4-6. Rectifier and Controller Interface	4-23
Table 4-7. Measurement Error and Reading Accuracy	4-28
Table 4-8. Data Communication Port Connection Scheme	4-36
Table 4-9. Summary of Data Gathering Requirements	4-40
Table 5-1. Insulation Class and Maximum Allowable Temperature	5-4
Table 5-2. Maximum Permissible Current	5-5
Table 5-3. Maximum Operating Voltage and Temperature	5-5
Table 5-4. Torque, Clamping Load and Transfer Current.....	5-7
Table 5-5. Stud Torque Limits	5-9
Table 5-6. Maximum Temperatures for Switches	5-11
