

Contents

Technical Advisory Notice of Disclaimer	iii
List of Figures	vii
List of Tables	viii
1 Introduction	
1.1 General Information	1-1
1.2 Network Interface	1-1
1.3 Objective of Document	1-2
1.4 Organization of Document	1-3
1.5 Requirements Terminology	1-3
1.6 Application of this Document	1-4
2 General Requirements	
2.1 Instructions	2-1
2.2 Marking	2-1
2.3 Packing and Shipping	2-1
2.4 Quality Assurance	2-1
2.4.1 Quality Program Analysis	2-1
2.4.2 Product Quality Surveillance	2-2
3 Environmental Requirements	
3.1 High Temperature Storage	3-1
3.2 Temperature Cycling with Humidity	3-1
3.3 Shock and Vibration	3-1
3.4 Communications Cable Pull-Out	3-2
3.5 Keyboard Test	3-2
3.6 Rain Test	3-3
3.7 Salt Fog Test	3-3
3.8 Sunshine Test	3-3
3.9 Chemical Resistance	3-4
3.10 Impact Resistance Requirements	3-5
3.11 Finish Requirements	3-5
3.12 Sand and Dust	3-6
3.13 Electromagnetic Compatibility and Electrical Safety	3-6
4 File Transfer	
4.1 Overview	4-1
4.2 Notation, Character, and Field Representation	4-1
4.3 Data Message Format	4-2
4.4 Receiver Acknowledgement Format	4-3
4.5 Timeouts	4-3

4.6 Session Start-Up	4-4
4.7 Session Termination	4-4
4.8 File Transfer Example	4-5

5 Terminal Operations

5.1 Voice Mode (VM)	5-1
5.2 Data Mode (DM)	5-2
5.3 Printer Operation	5-3
5.4 Terminal Features	5-4
5.4.1 Dial Access	5-4
5.4.2 Voice	5-4
5.4.3 Prompt/Response Data Communication Parameters	5-4
5.4.4 Error Recovery	5-4
5.4.5 Data Transfer	5-5
5.4.6 File Transfer	5-5
5.4.7 Data Display	5-6
5.4.8 Working Pair	5-6

6 Network Compatibility

6.1 Wireline Access	6-1
6.1.1 Monitor Mode Characteristics	6-1
6.1.2 Access Mode Resistance	6-1
6.1.3 DTMF Address Signaling	6-1
6.1.4 Transmission Characteristics	6-3
6.1.5 Receiver Characteristics	6-4
6.1.5.1 Signal Power Limitations	6-5
6.1.6 Message Circuit Noise	6-6
6.1.7 Return Loss	6-7
6.2 Wireless Access	6-7
6.2.1 PPSN Interface	6-7
6.2.2 Transaction Service	6-8
6.2.3 Features and Functions	6-8
6.2.4 Existing Networks	6-9

Appendix A: References

Appendix B: Glossary

Requirement-Object Index

List of Figures

Figure 3-1	Temperature Cycling Operating Curve at 90 to 95% Relative Humidity	3-7
Figure 6-1	Potential Near-Term WDCP to PPSN Connection Architecture . . .	6-10
Figure 6-2	Off-Hook Tip-Ring DC Voltage versus Current Characteristics . . .	6-11
Figure 6-3	Dual Tone Multifrequency Tone Power at Originating Station . . .	6-12
Figure 6-4	Transmit Frequency Response	6-13
Figure 6-5	Receive Frequency Response	6-14

List of Tables

Table 4-1	Generic File Transfer Protocol Field Identifiers	4-2
Table 4-2	Generic File Transfer Example	4-5
Table 6-1	Mandatory Transmit Objective Loudness Rating (TOLR)	6-4
Table 6-2	Desirable Transmit Objective Loudness Rating (TOLR)	6-4
Table 6-3	Mandatory Receive Objective Loudness Rating (ROLR)	6-5
Table 6-4	Desirable Receive Objective Loudness Rating (ROLR)	6-5
Table 6-5	Metallic Voltage - 4 KHz to 1 MHz	6-6
Table 6-6	Longitudinal Voltages - 4 KHz to 1 MHz	6-6