

Contents

Technical Advisory Notice Of Disclaimer	iii
List of Figures	vii
List of Tables	viii
1 Introduction	
1.1 Scope and Objectives	1-1
2 Functional Requirements	
2.1 General Requirements	2-1
2.2 Network Synchronization Requirements	2-3
3 Signal Formats and Electrical Specifications	
3.1 Customer's Loop	3-1
3.2 DS-1 Line Signal	3-1
3.3 DS-0 Dataport Channel Format	3-1
3.3.1 56-kbit/sec DS-0 Format	3-2
3.3.2 Subrate DS-0 Formats	3-5
3.3.3 DS-0A Error Correction	3-6
3.4 Zero Code Suppression	3-7
3.4.1 Customer's Interface	3-7
3.4.2 DS-0 to DS-1 Interface	3-7
4 DS-0 Bipolar Signal Electrical Specifications	
5 Maintenance Requirements	
5.1 Network-to-Customer Direction	5-1
5.1.1 Control Code Descriptions	5-2
5.1.2 Code Detection	5-3
5.1.3 Optional Latching Loopback Feature	5-4
5.1.3.1 Applications	5-4
5.1.3.2 Description	5-5
5.1.3.3 Different Tandem Dataports	5-6
5.1.3.4 Identical Tandem Dataports	5-7
5.1.3.5 Overall Loopback Detection Criteria	5-8
5.2 Customer-to-Network Direction	5-9
5.2.1 Customer Remote Test Option	5-9
5.2.2 Loop Signal Processing During Loopbacks	5-11
5.3 Operation During Trouble Conditions	5-11
5.4 Maintenance Access	5-12

6 Additional Requirements

7 DDS Secondary Channel

Appendix A: References

Note A-2
 To Contact Telcordia Customer Service or to Order Documents A-2
 To Order Documents From Within Telcordia (Employees Only) A-2

List of Figures

Figure 1	Standard Dataport Application	1-1
Figure 2	DS-0 Dataports in the End Office	2-2
Figure 3	DS-0 Dataports in an Intermediate Office	2-2
Figure 4	DDS Clock and DS-0A Signal Formats	2-4
Figure 5	DS-0 Bipolar Signal Timing	3-2
Figure 6	Optional Latching Loopback Applications	5-5

List of Tables

Table 1	56-kbit/sec Parity Byte Generation†	3-4
Table 2	56-kbit/sec Parity Codes	3-5
Table 3	Zero Code Suppression	3-8
Table 4	Control Code Map at the End Office: Network-to-Customer Direction	5-2
Table 5	Control Code Map at the End Office: Customer-to-Network Direction	5-9
Table 6	Loopback Code Detection	5-10
Table 7	LSC and MAP Codes for the Latching Loopback Feature	5-10
Table 8	Overall Loopback Detection Objectives	5-11