

# Contents

<b>Notice Of Disclaimer</b> . . . . .	iii
<b>List of Figures</b> . . . . .	vii
<b>List of Tables</b> . . . . .	viii
<b>1 Introduction</b>	
1.1 Scope . . . . .	1-1
1.2 Organization . . . . .	1-1
<b>2 General Information</b>	
2.1 Definition and Purpose . . . . .	2-1
2.2 Analysis Criteria . . . . .	2-1
2.3 Safety Considerations . . . . .	2-2
<b>3 General Requirements</b>	
3.1 Analysis Procedures . . . . .	3-1
3.2 Packaging Requirements . . . . .	3-1
3.2.1 Preferred Package . . . . .	3-1
3.2.2 Shipping Lengths . . . . .	3-2
3.2.3 Package Marking . . . . .	3-2
3.3 Quality Assurance – Program Requirements . . . . .	3-2
<b>4 Design Requirements</b>	
4.1 Conductors . . . . .	4-1
4.1.1 Material . . . . .	4-1
4.1.2 Factory Joints . . . . .	4-1
4.1.3 Mechanical Requirements . . . . .	4-1
4.2 Insulation . . . . .	4-2
4.2.1 Raw Material . . . . .	4-2
4.2.2 Porosity . . . . .	4-2
4.2.3 Adhesion . . . . .	4-2
4.2.4 Compression Resistance . . . . .	4-2
4.2.5 Elongation . . . . .	4-2
4.2.6 Low Temperature Flexibility . . . . .	4-3
4.2.7 Shrink-back . . . . .	4-3
4.2.8 Light Absorption . . . . .	4-3
4.2.9 Vertical Flame Spread . . . . .	4-3
4.2.10 Patching . . . . .	4-3
4.3 Assembly Requirements . . . . .	4-4
4.4 Color Limits . . . . .	4-4
4.5 Electrical Requirements . . . . .	4-5
4.5.1 Continuity, Shorts and Crosses . . . . .	4-5

4.5.2 Conductor Resistance . . . . .	4-5
4.5.3 Insulation Imperfections . . . . .	4-5
4.5.4 Dielectric Strength (Dry) . . . . .	4-5
4.5.5 Dielectric Strength (Wet) . . . . .	4-5
4.5.6 Insulation Resistance (Wet) . . . . .	4-5
4.5.7 Coaxial Capacitance . . . . .	4-6

**5 Performance Verification Test Procedures**

5.1 Materials and Mechanical Tests . . . . .	5-1
5.1.1 Conductor Elongation . . . . .	5-1
5.1.2 Insulation Porosity . . . . .	5-1
5.1.3 Insulation Elongation . . . . .	5-1
5.1.4 Adhesion . . . . .	5-1
5.1.5 Low Temperature Wrap Test . . . . .	5-2
5.2 Electrical Tests . . . . .	5-2
5.2.1 Dielectric Strength (Dry or Wet) . . . . .	5-2
5.2.2 Insulation Resistance (Wet) . . . . .	5-2
5.2.3 Coaxial Capacitance (Wet) . . . . .	5-3

**Appendix A: Compression Test**

**Appendix B: Shrink-Back Test**

**Appendix C: Insulation Spark Test**

**Appendix D: References**

## List of Figures

Figure A-1 Wedge Design for Testing Sheet Material PVC Plastic . . . . . A-4

## List of Tables

Table 5-1	Raw Material Requirements For PVC Insulation . . . . .	5-4
Table C-1	Electrode Potential . . . . .	C-3