

Secondary Channel
in the
Digital Data System:
Channel Interface Requirements

CONTENTS

1. Introduction	1-1
1.1 Overview	1-1
1.2 Document Organization	1-2
2. General Background	2-1
2.1 Service Description	2-1
2.1.1 Bit Stream Structure	2-3
2.1.2 Service Objectives	2-3
2.2 System Description	2-5
2.2.1 Loop Transmission	2-5
2.2.2 DDS Office Functions	2-7
2.2.2.1 Multiplexing	2-7
2.2.2.2 Multipoint	2-7
2.2.2.3 Network Synchronization	2-11
2.2.3 Interoffice Transmission	2-11
2.3 Maintenance and Testing	2-11
2.3.1 Remote Testing	2-12
2.3.2 Trouble Conditions	2-12
3. Design Requirements	3-1
3.1 DDS Loop Plant	3-1
3.1.1 Loop Characteristics	3-1
3.1.2 Loop Design	3-2
3.1.3 Loop Assignment and Loss	3-2
3.1.4 Loop Conditioning	3-2
3.1.5 Interference and Noise Requirements	3-3
3.2 Transmitted Signal Requirements	3-3
3.2.1 Rectangular Driving Pulse	3-6
3.2.2 Transmit Filter	3-6
3.2.3 Frequency Domain Bound	3-7
3.2.4 Line Coupling	3-9
3.2.5 Longitudinal Balance	3-9
3.3 Received Signal Characteristics	3-10
3.4 Customer Equipment Requirements	3-10
3.4.1 Isolation From Ground	3-10
3.4.2 Simplex Path	3-10
3.4.3 Channel Loopback	3-12
3.4.4 Safety Considerations	3-12
4. Functional Requirements	4-1
4.1 Signal Format	4-1

4.2 Coding Rules	4-1
4.3 Circuit Operation	4-3
4.3.1 Mixed Operation	4-3
4.3.2 Transmission Errors	4-4
4.3.3 Network Failure	4-4
5. Network Compatibility Considerations	5-1
5.1 Physical Network Interface	5-1
5.2 Network Delay	5-1
5.3 Timing and Jitter	5-2
5.3.1 Timing Recovery	5-2
5.3.2 Timing Accuracy	5-2
5.3.3 Isochronous and Peak Individual Distortion	5-2
REFERENCES	6-1
GLOSSARY	7-1

LIST OF ILLUSTRATIONS

Figure 2-1. DDS Circuit Configuration 2-2
Figure 2-2. Byte Formats 2-4
Figure 2-3. DDS Transmission 2-6
Figure 2-4. MJU Upstream Operation 2-8
Figure 3-1. DDS Loop Transmission 3-5
Figure 3-2. C-Message Weighting 3-8
Figure 3-3. Load Dependence of Output Constraint 3-11

LIST OF TABLES

TABLE 2-1. Channel Bit Rates	2-1
TABLE 2-2. XNOR Truth Table	2-10
TABLE 2-3. Valid Framing Patterns	2-10
TABLE 3-1. Nyquist Frequencies	3-2
TABLE 3-2. Bridged Tap Limitations	3-2
TABLE 3-3. Background Noise Requirements	3-3
TABLE 3-4. Impulse Noise Requirements	3-3
TABLE 3-5. Driving Pulse Amplitude	3-6
TABLE 3-6. Minimum Additional Rejection	3-7
TABLE 3-7. Frequency Constraint Limit	3-9
TABLE 4-1. Network Failure Codes	4-4
TABLE 5-1. Approximate Maximum Propagation Delay	5-1