

Contents

Technical Reference Notice Of Disclaimer	iii
List of Figures	xii
List of Figures	xiv
1 Introduction	
1.1 General	1-1
1.2 Objectives	1-1
1.3 Alternative Arrangements	1-2
1.4 Conventions	1-2
1.5 Concepts	1-2
1.6 Organization	1-3
2 Feature Group D Service	
2.1 General	2-1
2.2 Local Network and End-Office Switching	2-1
2.2.1 Originating Features	2-2
2.2.1.1 Dialing Plan	2-2
2.2.1.1.1 Domestic Dialing Plan	2-3
2.2.1.1.2 International Dialing Plan	2-4
2.2.1.2 Presubscription	2-4
2.2.1.3 "Dial 0" Calling Services	2-4
2.2.1.4 Service Access Code Definitions	2-5
2.2.1.5 Cut-Through Access – 10XXX + #	2-6
2.2.1.6 Call Screening	2-6
2.2.1.7 Automatic Number Identification (ANI)	2-6
2.2.1.8 Signaling Protocol Arrangements	2-7
2.2.1.9 Outpulsing	2-7
2.2.1.10 Special Trunking Arrangements	2-7
2.2.1.11 Trunk Hunting	2-8
2.2.1.12 Overflow Routing	2-9
2.2.1.13 Telcordia Client Company Vertical Services	2-9
2.2.1.14 "WATS-Like" Service	2-10
2.2.1.15 Originating Access Measurements	2-10
2.2.2 Terminating Features	2-10
2.2.2.1 Call Screening	2-10
2.2.2.2 Directory Assistance	2-10
2.2.2.3 Test Lines	2-10
2.2.2.4 Network Management	2-11
2.2.2.5 Terminating Access Measurements	2-11
2.3 Transport	2-11
2.4 Common Line	2-11

3 Interface Protocol

3.1	General	3-1
3.1.1	Directionality	3-1
3.1.2	Signaling Protocols	3-2
3.1.2.1	Exchange Access North American Signaling	3-2
3.1.2.2	Exchange Access International Signaling	3-3
3.1.2.3	Operator Services Signaling	3-4
3.1.2.4	Terminating Protocol	3-5
3.2	Stored Information	3-5
3.2.1	Carrier Classification	3-6
3.2.2	Trunk Groups	3-6
3.2.3	Outpulsing	3-7
3.2.4	Automatic Number Identification	3-7
3.3	Dialed Information	3-8
3.3.1	Call Classifications	3-8
3.3.2	Call Categories	3-8
3.3.3	Protocol Identification	3-8
3.3.4	Telcordia Client Company-to-Carrier Pulsing Formats	3-8
3.3.5	Carrier-to-Telcordia Client Company Pulsing Formats	3-8
3.4	Protocol Specifications for Exchange Access North American Signaling	3-14
3.4.1	Protocol for Forwarding Calls Destined for Inside World Zone 1	3-14
3.4.1.1	Telcordia Client Company-to-Carrier Pulsing	3-14
3.4.1.2	Variations	3-15
3.4.1.3	Specific Example of a Call	3-16
3.4.1.4	Alternative Arrangements	3-16
3.4.1.5	Time Limits	3-16
3.4.1.6	Incomplete Calls and Irregularities	3-17
3.4.2	Protocol for Forwarding Calls in the [10XXX + 0] Category	3-18
3.4.2.1	Telcordia Client Company-to-Carrier Pulsing	3-19
3.4.2.2	Variations	3-19
3.4.2.3	Specific Example of a Call	3-19
3.4.2.4	Alternative Arrangements	3-19
3.4.2.5	Time Limits	3-19
3.4.2.6	Incomplete Calls and Irregularities	3-20
3.4.3	Protocol for Forwarding Calls to Service Access Codes With Embodied Carrier Identification	3-20
3.4.3.1	Telcordia Client Company-to-Carrier Pulsing	3-21
3.4.3.2	Variations	3-21
3.4.3.3	Specific Example of a Call	3-22
3.4.3.4	Alternative Arrangements	3-22
3.4.3.5	Time Limits	3-22
3.4.3.6	Incomplete Calls and Irregularities	3-22
3.4.4	Protocol for Forwarding Calls to Service Access Codes With External Carrier Identification	3-23
3.4.4.1	Telcordia Client Company-to-Carrier Pulsing	3-24
3.4.4.2	Variations	3-24

3.4.4.3	Specific Example of a Call	3-24
3.4.4.4	Alternative Arrangements	3-24
3.4.4.5	Time Limits	3-25
3.4.4.6	Incomplete Calls and Irregularities	3-25
3.4.5	Protocol for Forwarding Cut-Through Calls	3-26
3.4.5.1	Telcordia Client Company-to-Carrier Pulsing	3-27
3.4.5.2	Variations	3-27
3.4.5.3	Specific Example of a Call	3-27
3.4.5.4	Alternative Arrangements	3-27
3.4.5.5	Time Limits	3-27
3.4.5.6	Incomplete Calls and Irregularities	3-28
3.4.6	Protocol for Forwarding Telcordia Client Company-Originated Test Calls	3-28
3.4.6.1	Telcordia Client Company-to-Carrier Pulsing	3-29
3.4.6.2	Variations	3-29
3.4.6.3	Specific Example of a Call	3-29
3.5	Protocol Specifications for Exchange Access International Signaling	3-30
3.5.1	Protocol for Forwarding Calls Destined for Inside World Zone 1	3-30
3.5.1.1	Telcordia Client Company-to-INC Pulsing	3-31
3.5.1.2	Variations	3-31
3.5.1.3	Specific Example of a Call	3-32
3.5.1.4	Alternative Arrangements	3-32
3.5.1.5	Time Limits	3-32
3.5.1.6	Incomplete Calls and Irregularities	3-33
3.5.2	Protocol for Forwarding Calls Destined for Outside World Zone 1	3-35
3.5.2.1	Telcordia Client Company-to-Carrier Pulsing	3-36
3.5.2.2	Variations	3-36
3.5.2.3	Specific Example of a Call	3-37
3.5.2.4	Alternative Arrangements	3-37
3.5.2.5	Time Limits	3-37
3.5.2.6	Incomplete Calls and Irregularities	3-37
3.5.3	Protocol for Forwarding Calls in the [10XXX + 0] Category	3-38
3.5.3.1	Telcordia Client Company-to-INC Pulsing	3-39
3.5.3.2	Variations	3-39
3.5.3.3	Specific Example of a Call	3-39
3.5.3.4	Alternative Arrangements	3-39
3.5.3.5	Time Limits	3-40
3.5.3.6	Incomplete Calls and Irregularities	3-40
3.5.4	Protocol for Forwarding Calls to Service Access Codes With Embodied Carrier Identification	3-41
3.5.4.1	Telcordia Client Company-to-INC Pulsing	3-41
3.5.4.2	Variations	3-42
3.5.4.3	Specific Example of a Call	3-42
3.5.4.4	Alternative Arrangements	3-42
3.5.4.5	Time Limits	3-42
3.5.4.6	Incomplete Calls and Irregularities	3-42

3.5.5 Protocol for Forwarding Calls to Service Access Codes With External Carrier Identification	3-44
3.5.5.1 Telcordia Client Company-to-INC Pulsing	3-44
3.5.5.2 Variations	3-44
3.5.5.3 Specific Example of a Call	3-44
3.5.5.4 Alternative Arrangements.	3-45
3.5.5.5 Time Limits	3-45
3.5.5.6 Incomplete Calls and Irregularities	3-45
3.5.6 Protocol for Forwarding Cut-Through Calls	3-47
3.5.6.1 Outpulsing	3-47
3.5.6.2 Variations	3-47
3.5.6.3 Specific Example of a Call	3-47
3.5.6.4 Alternative Arrangements	3-47
3.5.6.5 Time Limits	3-47
3.5.6.6 Incomplete Calls and Irregularities	3-48
3.5.7 Protocol for Forwarding Telcordia Client Company-Originated Test Calls	3-48
3.5.7.1 Telcordia Client Company-to-INC Pulsing	3-49
3.5.7.2 Variations	3-49
3.5.7.3 Specific Example of a Call	3-49
3.6 Protocol Specifications for Operator Services Signaling	3-50
3.6.1 Protocol for Forwarding Calls Destined for Inside World Zone 1	3-50
3.6.1.1 Outpulsing	3-51
3.6.1.2 Variations	3-51
3.6.1.3 Specific Example of a Call	3-52
3.6.1.4 Alternative Arrangements	3-52
3.6.1.5 Time Limits	3-52
3.6.1.6 Incomplete Calls and Irregularities	3-52
3.6.2 Protocol for Forwarding Calls Destined for Outside World Zone 1	3-53
3.6.2.1 Telcordia Client Company-to-Carrier Pulsing	3-54
3.6.2.2 Variations	3-54
3.6.2.3 Specific Example of a Call	3-54
3.6.2.4 Alternative Arrangements	3-54
3.6.2.5 Time Limits	3-54
3.6.2.6 Incomplete Calls and Irregularities	3-54
3.6.3 Protocol for Forwarding Calls in the [10XXX + 0] Category	3-55
3.6.3.1 Telcordia Client Company-to-Carrier Pulsing	3-56
3.6.3.2 Variations	3-56
3.6.3.3 Specific Example of a Call	3-56
3.6.3.4 Alternative Arrangements	3-56
3.6.3.5 Time Limits	3-56
3.6.3.6 Incomplete Calls and Irregularities	3-56
3.6.4 Protocol for Forwarding Calls to Service Access Codes With Embodied Carrier Identification	3-57
3.6.4.1 Telcordia Client Company-to-Carrier Pulsing	3-58
3.6.4.2 Variations	3-58
3.6.4.3 Specific Example of a Call	3-58

3.6.4.4	Alternative Arrangements	3-59
3.6.4.5	Time Limits	3-59
3.6.4.6	Incomplete Calls and Irregularities	3-59
3.6.5	Protocol for Forwarding Calls to Service Access Codes With External Carrier Identification	3-60
3.6.5.1	Telcordia Client Company-to-Carrier Pulsing	3-61
3.6.5.2	Variations	3-61
3.6.5.3	Specific Example of a Call	3-61
3.6.5.4	Alternative Arrangements	3-61
3.6.5.5	Time Limits	3-61
3.6.5.6	Incomplete Calls and Irregularities	3-62
3.6.6	Protocol for Forwarding Telcordia Client Company-Originated Test Calls	3-63
3.6.6.1	Telcordia Client Company-to-Carrier Pulsing	3-63
3.6.6.2	Variations	3-63
3.6.6.3	Specific Example of a Call	3-63
3.7	Specifications for Terminating Protocol	3-64
3.7.1	Protocol for Receiving Carrier-to-Telcordia Client Company Calls Intended for Directory Numbers	3-64
3.7.1.1	Telcordia Client Company-to-Carrier Pulsing	3-65
3.7.1.2	Variations	3-65
3.7.1.3	Specific Example of a Call	3-65
3.7.1.4	Time Limits	3-65
3.7.2	Protocol for Receiving Carrier-to-Telcordia Client Company Calls to Directory Assistance Service	3-66
3.7.2.1	Carrier-to-Telcordia Client Company Pulsing	3-67
3.7.2.2	Variations	3-67
3.7.2.3	Specific Example of a Call	3-67
3.7.2.4	Time Limits	3-67
3.7.3	Protocol for Receiving Carrier-to-Telcordia Client Company Test Calls	3-68
3.7.3.1	Carrier-to-Telcordia Client Company Pulsing	3-68
3.7.3.2	Variations	3-69
3.7.3.3	Specific Example of a Call	3-69

4 Interface Signals

4.1	General	4-1
4.1.1	Signal Identification	4-1
4.1.2	Signal Classification	4-2
4.2	Individual Channel Interfaces	4-2
4.2.1	DC Supervisory Signals	4-2
4.2.2	Timed Transition DC Signals	4-3
4.2.3	In-Band AC Signaling	4-3
4.2.4	Operator Services Signaling	4-3
4.3	Multiplexed Interfaces	4-4
4.3.1	Time-Division Multiplexed	4-4
4.3.1.1	Pulse Shape	4-4

4.3.1.2 Signal Structure	4-4
4.3.1.3 Individual Channel Signaling	4-4
4.3.2 Frequency-Division Multiplexed	4-5
4.3.2.1 Composite Signal	4-5
4.3.2.2 Individual Channel Signaling	4-5
4.4 Interface Configurations	4-5
4.4.1 Interface Groups	4-5
4.4.2 Interface Codes	4-6
4.4.3 Transmission Options	4-6
4.4.4 Transmission Levels	4-6

Appendix A: Signaling, Tones, and Announcements

A.1 Wink-Start Signals	A-1
A.1.1 Off-Hook Wink	A-1
A.1.1.1 Wink-Start	A-1
A.1.1.2 Acknowledgment Wink	A-2
A.1.2 On-Hook Wink	A-2
A.2 Multifrequency Pulsing	A-2
A.2.1 Multifrequency Codes	A-2
A.2.2 Requirements for MF Transmitters	A-3
A.2.3 Requirements for MF Receivers	A-3
A.3 Glare	A-5
A.3.1 Description	A-5
A.3.2 Glare Resolution	A-5
A.4 Call Progress Tones	A-6
A.4.1 Application	A-6
A.4.2 Audible Ringing Tone	A-6
A.4.3 Line-Busy Tone	A-6
A.4.4 Reorder Tone	A-6
A.4.5 Vacant Tone	A-7
A.5 Recorded Announcements and Tones for Announcement Encoding	A-7
A.5.1 Application	A-7
A.5.2 Text of Sample Announcements	A-7
A.5.3 Identification of Party Causing Call Irregularity	A-8
A.5.4 Special Information Tones for Recorded Announcement Encoding	A-9
A.6 Operator Services Signaling	A-10
A.7 Disconnect Sequences	A-12
A.7.1 Originating Calls (Telcordia Client Company-to-Carrier)	A-12
A.7.1.1 Calling Customer Disconnects First	A-12
A.7.1.2 Called Customer Disconnects First	A-12
A.7.2 Terminating Calls (Carrier-to-Telcordia Client Company)	A-13
A.7.2.1 Calling Customer Disconnects First	A-13
A.7.2.2 Called Customer Disconnects First	A-13

Appendix B: References (Updated 2003)

Note	B-2
----------------	-----

To Contact Telcordia Customer Service or to Order Documents B-2
To Order Documents From Within Telcordia (Employees Only) B-2

Appendix C: Glossary and Acronyms

C.1 Glossary C-1
C.2 Acronyms C-6

List of Figures

Figure 2-1	Feature Group D Switched Access Network Configuration	2-2
Figure 3-1	Example of the EANA Protocol for Forwarding a Call Intended for Completion in World Zone 1	3-18
Figure 3-2	Example of the EANA Protocol for Forwarding a Call in the 10XXX+0 Category	3-20
Figure 3-3	Example of the EANA Protocol for Forwarding a Call to SAC With Embodied Carrier Identification	3-23
Figure 3-4	Example of the EANA Protocol for Forwarding a Call to SAC With External Carrier Identification	3-26
Figure 3-5	Example of the EANA Protocol for Forwarding a Cut-Through Call	3-28
Figure 3-6	Example of the EANA Protocol for Forwarding a Telcordia Client Company-Originated Test Call	3-30
Figure 3-7	Example of the EAIN Protocol for Forwarding a Call Intended for Completion in World Zone 1	3-35
Figure 3-8	Example of the EANA Protocol for Forwarding a Call Intended for Completion Outside World Zone 1	3-38
Figure 3-9	Example of the EAIN Protocol for Forwarding a Call in the 10XXX+0 Category	3-40
Figure 3-10	Example of the EAIN Protocol for Forwarding a Call to SAC With Embodied Carrier Identification	3-43
Figure 3-11	Example of the EAIN Protocol for Forwarding a Call to SAC With External Carrier Identification	3-46
Figure 3-12	Example of the EAIN Protocol for Forwarding a Cut-Through Call	3-48
Figure 3-13	Example of the EAIN Protocol for Forwarding a Telcordia Client Company-Originated Test Call	3-50
Figure 3-14	Example of the OS Protocol for Forwarding a Call Intended for Completion in World Zone 1	3-53
Figure 3-15	Example of the OS Protocol for Forwarding a Call Intended for Completion Outside World Zone 1	3-55
Figure 3-16	Example of the OS Protocol for-Forwarding a Call in the 10XXX+0 Category	3-57
Figure 3-17	Example of the OS Protocol for Forwarding a Call to SAC With Embodied Carrier Identification	3-60
Figure 3-18	Example of the OS Protocol for Forwarding a Call to SAC With External Carrier Identification	3-62
Figure 3-19	Example of the OS Protocol for Forwarding a Telcordia Client Company-Originated Test Call	3-64
Figure 3-20	Example of the Terminating Protocol for Receiving a Call to a Directory Number in the LATA	3-66
Figure 3-21	Example of the Terminating Protocol for Receiving a Call to Directory Assistance	3-68

Figure 3-22	Example of a Carrier-to-Telcordia Client Company Test Call to a Telcordia Client Company Test Line	3-69
Figure A-1	Wink-Start Signaling	A-1
Figure A-2	Ringback Signal	A-12

List of Tables

Table 3-1	Call Categories	3-8
Table 3-2	Interface Protocols	3-10
Table 3-3	Exchange Access North American Signaling	3-11
Table 3-4	Exchange Access International Signaling	3-12
Table 3-5	Operator Services Signaling – Inside World Zone 1	3-13
Table 3-6	Operator Services Signaling – Outside World Zone 1	3-13
Table 3-7	Terminating Protocol	3-14
Table 3-8	Information Digits for EANA Protocol	3-15
Table 3-9	Information Digit Assignments for Operator Services Signaling . .	3-51
Table A-1	Multifrequency Codes	A-2
Table A-2	Special Information Tone (SIT) Frequencies and Durations . . .	A-10