

Table of Contents [Telcordia TR-NWT-000122- Documentation Information](#)

1 Introduction

1.1 Purpose and Scope	1-1
1.2 Organization	1-1
1.3 Requirements Terminology	1-1
1.4 Reference Documents	1-2
1.5 Reasons for Reissue	1-2
1.5.1 Summary of Significant Changes	1-2
1.6 Requirement Labeling Conventions	1-5
1.6.1 Numbering of Requirement and Related Objects	1-5
1.6.2 Requirement, Conditional Requirement, and Objective Identification	1-6

2 General Information

2.1 Description of Product	2-1
2.2 Ordering Options	2-1
2.2.1 User Considerations	2-1
2.3 Safety Considerations	2-2
2.4 Quality Assurance Program	2-3
2.5 Units and Tolerances	2-3

3 General Requirements

3.1 Packaging Requirements	3-1
3.1.1 Coils	3-1
3.1.2 Small Reels	3-2
3.1.3 Large Reels	3-3
3.2 Package and Coil Marking	3-4
3.3 Jacket Marking	3-4
3.4 Length Marking	3-4
3.5 Compatibility with Hardware	3-4
3.6 Jacket and Length Marking Durability	3-4

4 Mechanical Design and Test Requirements

4.1 Conductors	4-1
4.1.1 Factory Joints	4-1
4.1.2 Breaking Strength	4-1
4.1.3 Elongation	4-1
4.2 Conductor Insulation	4-1
4.2.1 Material	4-1
4.2.2 Dimensions and Eccentricity	4-2
4.2.3 Patching	4-2
4.2.4 Porosity	4-2
4.2.5 Adhesion to the Conductor	4-2
4.2.6 Ultimate Elongation	4-2
4.2.7 Compression Resistance	4-3
4.2.8 Cold Bend	4-3
4.2.9 Shrinkback	4-3

- 4.2.10 Thermal Oxidative Stability 4-3
- 4.2.11 Insulation Imperfections 4-3
- 4.2.12 Resistance to Aging 4-4
- 4.2.13 Cut-Through Resistance 4-4
- 4.3 Twist Lengths and Color Coding 4-4
- 4.4 Support Wire 4-5
- 4.5 Jacket 4-5
 - 4.5.1 Material and Thickness 4-5
 - 4.5.2 Porosity 4-5
 - 4.5.3 Tensile Strength and Ultimate Elongation 4-5
 - 4.5.4 Resistance to Aging 4-6
 - 4.5.5 Plasticizer Compatibility 4-6
 - 4.5.6 Patching 4-6
- 4.6 Assembly Requirements 4-6
 - 4.6.1 Core Wrap and Binders 4-6
 - 4.6.2 Jacket Rip Cord 4-6
 - 4.6.3 Assembly 4-7

5 Temperature Testing

- 5.1 Low Temperature Impact Test (Unaged) 5-1
- 5.2 Low Temperature impact Test - Aged 5-1
- 5.3 Cold Temperature Handling (Unaged) 5-2
- 5.4 Light Absorption 5-2
- 5.5 Flammability 5-2
- 5.6 Support Wire Separation Tests 5-2
- 5.7 Abrasion Resistance 5-3
- 5.8 Dimensions Requirements 5-3
- 5.9 Pair Tip and Ring Identification 5-4
- 5.10 National Electrical Code Listing 5-4

6 Completed Wire Electrical Requirements

- 6.1 Continuity and Shorts 6-1
- 6.2 Conductor Resistance 6-1
- 6.3 Conductor Resistance Unbalance 6-1
- 6.4 Mutual Capacitance 6-1
- 6.5 Capacitance Unbalance 6-1
 - 6.5.1 Capacitance Unbalance - Pair to Support Wire 6-1
 - 6.5.2 Capacitance Unbalance - Pair-to-Pair 6-2
- 6.6 Attenuation 6-2
 - 6.6.1 Attenuation - Dry 6-2
 - 6.6.2 Attenuation - Wet 6-2
- 6.7 Insulation Resistance 6-2
 - 6.7.1 Insulation Resistance - Dry 6-2
 - 6.7.2 Insulation Resistance - Wet 6-2
- 6.8 DC Proof Test 6-3
 - 6.8.1 Dry 6-3
 - 6.8.2 Wet 6-3
- 6.9 Crosstalk 6-3
- 6.10 Fusing Coordination 6-4
- 6.11 Continuity of Metallic Elements 6-4

7 References

7.1 Telcordia Documents	7-1
7.2 Industry Standard Documents	7-1

Appendix A: Durability of Printing and Marking Test

Appendix B: Cut-Through Resistance Test

Requirement-Object Index

List of Figures

Figure 5-1	Multiple Pair Aerial Service Wire Cross Section	5-5
Figure B-1	Cut-Through Test Device	B-2