

Table of Contents**[Telcordia TR-NWT-000131 Documentation Information](#)****1 Introduction**

1.1 Purpose and Scope	1-1
1.2 Reason for Issue	1-1
1.3 Organization	1-1

2 General Information

2.1 Description of Product	2-1
2.2 Categories of Plenum Cable/Wire and Applications	2-1
2.3 Requirements Terminology	2-2
2.4 Reference Documents	2-2
2.5 Safety Considerations	2-3
2.6 Units and Tolerances	2-3
2.7 Technical Analysis and Quality Assurance Programs	2-4

3 Packaging Requirements

3.1 General	3-1
3.2 Package and Coil Marking	3-1
3.3 Jacket Marking	3-1
3.4 Length Marking	3-2
3.5 Jacket Marking Durability	3-2

4 Mechanical Design and Test Requirements

4.1 Conductors	4-1
4.1.1 Material	4-1
4.1.2 Factory Joints	4-1
4.1.3 Elongation	4-1
4.1.4 Breaking Strength	4-1
4.2 Insulation	4-1
4.2.1 Material	4-2
4.2.2 Dual Insulation Adhesion Between Layers	4-2
4.2.3 Dimensions and Eccentricity	4-2
4.2.4 Porosity	4-3
4.2.5 Tensile Strength and Ultimate Elongation	4-3
4.2.6 Compression Resistance	4-3
4.2.7 Cut-Through Resistance	4-3
4.2.8 Shrinkback	4-4
4.2.9 Adhesion	4-4
4.2.10 Cold Bend	4-4
4.2.11 Patching	4-4
4.2.12 Insulation Imperfections	4-4
4.2.13 Color Coding Requirements	4-5
4.3 Assembly Requirements	4-7
4.3.1 Core	4-7
4.3.2 Binders	4-10
4.3.3 Core Wrap	4-10

- 4.4 Shielding 4-10
- 4.5 Jacket 4-10
 - 4.5.1 General 4-10
 - 4.5.2 Material 4-11
 - 4.5.3 Jacket Thickness 4-11
 - 4.5.4 Eccentricity 4-12
 - 4.5.5 Tensile Strength and Elongation 4-12
 - 4.5.6 Aging Test 4-12
 - 4.5.7 Jacket Color 4-12
 - 4.5.8 Jacket Rip Cord 4-13
- 4.6 Other Coverings 4-13

5 Completed Cable/Wire Physical Tests

- 5.1 Cold Bend 5-1
- 5.2 Cable Impact Test 5-1
- 5.3 Flame Spread and Smoke Emission 5-1
- 5.4 National Electrical Code Listing 5-2
- 5.5 Abrasion Resistance 5-2
 - 5.5.1 Rotary Scrape Abrasion Test 5-2
 - 5.5.2 Horizontal Scrape Abrasion Test 5-2

6 Completed Cable/Wire Electrical Requirements

- 6.1 Continuity and Shorts 6-1
- 6.2 Conductor Resistance 6-1
- 6.3 Conductor Resistance Unbalance 6-1
- 6.4 Mutual Capacitance 6-1
- 6.5 Capacitance Unbalance Pair-to-Pair 6-2
- 6.6 Capacitance Unbalance: Pair-to-Ground 6-2
- 6.7 Insulation Resistance 6-2
- 6.8 Voltage Tests 6-2
 - 6.8.1 Conductor-to-Conductor 6-2
 - 6.8.2 Jacket Leakage Test 6-3
- 6.9 Characteristic Impedance 6-3
- 6.10 Attenuation 6-3
- 6.11 Near End Crosstalk (NEXT) 6-4
- 6.12 Measurement Technique 6-6

7 References: Industry Standards and Telcordia Documents

- 7.1 American National Standards Institute American Standard Quality Control Documents 7-1
- 7.2 American Society for Testing and Materials (ASTM) Standards 7-1
- 7.3 Telcordia Documents 7-2
- 7.4 Electronic Industries Association (EIA) Standards 7-2
- 7.5 Insulated Cable Engineers Association Standard 7-2
- 7.6 Military Specifications 7-3
- 7.7 National Fire Protection Association (NFPA) Documents 7-3
- 7.8 Underwriters Laboratories, Inc. (UL) Standards 7-3



Appendix A: Durability of Printing Marking Test

Appendix B: Cut-Through Resistance Test

Requirement-Object Index

List of Figures

Figure B-1 Cut-Through Test Device B-2

List of Tables

Table 4-1	Insulation Colors for Plenum Cable/Wire	4-5
Table 4-2	Munsell Color Requirements for Insulation and Binders TOLERANCE LIMITS	4-6
Table 4-3	Unit Binder Color Codes	4-8
Table 6-1	Mutual Capacitance of Plenum Cable/Wire	6-1
Table 6-2	Capacitance Unbalance Pair-to-Pair	6-2
Table 6-3	Capacitance Unbalance Pair-to-Ground	6-2
Table 6-4	Characteristic Impedance Versus Frequency	6-3
Table 6-5	Attenuation Versus Frequency	6-4
Table 6-6	NEXT Versus Frequency	6-5