

Contents

Technical Reference Notice of Disclaimer	iii
List of Figures	ix
List of Tables	xi
1. Introduction	1-1
1.1 Summary of Significant Changes from Previously Issued TA	1-1
1.2 Requirements Terminology	1-1
1.3 Definition	1-1
1.4 Background	1-2
1.4.1 Prerequisites	1-2
1.4.2 Terms	1-4
1.4.3 MBG Construction	1-5
1.4.4 MBG as the Foundation for Additional Capabilities	1-7
1.4.5 Relationship Between MBG and Packet-Mode Data	1-9
1.4.6 ISDN Terminal Assumptions	1-12
1.5 High-Level Feature Description	1-12
2. User Perspective	2-1
3. Feature Requirements	3-1
3.1 Feature Operations	3-1
3.1.1 Main Feature Operations	3-1
3.1.1.1 MBG Structure	3-1
3.1.1.2 Access-Restriction Features	3-2
3.1.2 Other Feature Operations	3-5
3.1.3 Release Treatment	3-12
3.1.4 Feature Operation Interworking	3-13
3.1.5 Error Treatment and Abnormal Events	3-13
3.2 Internal Call-Processing Controls	3-13
3.2.1 Class of Service/Configuration	3-13
3.2.2 Code Interpretation	3-14
3.2.3 Screening	3-15
3.2.4 Routing	3-15
3.2.5 Charge Treatment Determination	3-15
3.2.6 Overload	3-15
3.3 Signaling/Message Structure	3-18
3.3.1 Customer Signaling/User-Network/interface	3-18
3.3.2 SS7 Interface Signaling	3-19
3.4 Administration/Operations	3-20
3.4.1 Service Changes/Subscription Parameters	3-20
3.4.1.1 Per Switch	3-20
3.4.1.2 Per MBG	3-20
3.4.1.3 Per MBGE	3-25
3.4.2 Traffic Measurements	3-26
3.4.3 Maintenance Measurements	3-27
3.4.4 Billing and Comptroller	3-27

3.5 Interactions	3-28
3.5.1 Interactions with ISDN Features	3-28
3.5.2 Interactions with Conventional Features	3-36
3.6 Limitations and Restrictions	3-41
3.7 Timing and Tolerances	3-41
Appendix A: Signaling System 7 Procedures for MBG	A-1
A.1 MBG Architecture	A-1
A.1.1 Additional Switch-Based Architecture Considerations	A-3
A.1.2 Additional Centralized Architecture Considerations	A-3
A.2 SS7 Support for the MBG Call	A-5
A.2.1 Originating Switch Functions in the MBG Call	A-5
A.2.1.1 MBG Dialing Arrangements	A-5
A.2.1.1.1 Switch-Based Translations Approach	A-6
A.2.1.1.2 Centralized Translations Approach for SSP-Equipped Switches	A-7
A.2.1.2 Access Restriction Screening	A-14
A.2.1.3 Storage and Update of Switch Information	A-14
A.2.1.4 MBG-Specific Information in the SS7 Initial Address Message (IAM)	A-15
A.2.1.5 Receiving Release Message/ Special Intercept Announcements	A-16
A.2.2 Terminating Switch Functions in the MBG Call	A-17
A.2.2.1 Interpretation of MBG-Specific Information in the IAM	A-17
A.2.2.2 Screening of Access Restrictions for MBG Calls	A-18
A.2.2.3 Storage and Update of Switch Information	A-18
A.2.2.4 Release Procedures Due to SFG Overload	A-19
A.3 SS7 Support for Calling Number Identification Services in MBG	A-19
A.3.1 Current Support for Calling Number Identification Services	A-19
A.3.2 Calling Number Information in the IAM for MBG Call Establishment	A-20
A.3.3 Delivery of Calling Number Information to the Terminating Interface	A-22
A.4 SS7 Support for Public Network Calls To/From MBG Parties	A-23
A.4.1 Identification of Public Network Calls	A-23
A.4.2 Modifications to Normal SS7 Procedures for Public Network Calls	A-24
A.5 Calls To/From Private Networks	A-25
A.6 SS7 Support for Call Waiting Originating and Dial Call Waiting	A-26
A.7 SS7 Support for MBG Call Forwarding	A-26
A.7.1 Call Forwarding Activation for Conventional Lines	A-27
A.7.2 Call Forwarding Activation for ISDN Users	A-27
A.7.2.1 SCCP Routing Data Needs in the Centralized MBG Architecture	A-27
A.7.2.2 Using the Provide Value Query to Obtain Information	A-28
A.7.3 Forwarding a Call	A-30
A.7.4 Signaling Information in the IAM	A-31
A.8 SS7 Support for Conventional Call Transfer in MBG	A-33
A.9 SS7 Support for Conventional Six-Way Conference Calling in MBG	A-33
A.10 SS7 Support for ISDN Flexible Calling in MBG	A-33
A.10.1 ISDN Hold in ISDN FC	A-34
A.10.2 Transfer in ISDN FC	A-34
A.11 SS7 Support for Call Pickup Features	A-34

A.12 SS7 Support for ISDN Hold in MBG	A-34
A.13 ISDNUP Formats and Codes	A-34
A.13.1 Business Group Parameter	A-34
A.13.2 Cause Indicators Parameter	A-36
A.13.3 Generic Address Parameter	A-37
A.13.4 Service Activation Parameter	A-38
A.14 TCAP Formats and Codes	A-38
A.14.1 TCAP Parameter Codings	A-38
A.14.1.1 Business Group Parameter	A-38
A.14.2 TCAP Message Formats	A-40
A.15 SS7 SCCP and MTP Formats	A-56
Appendix B: References	B-1
Appendix C: Glossary	C-1
C.1 Acronyms	C-1
C.2 Terms	C-4

List of Figures

Figure 3-1.	Sample MBG	3-42
Figure 3-2.	Sample MBG With Simple Locations	3-43
Figure 3-3.	Sample MBG With More Complicated Locations	3-44
Figure 3-4.	Sample MBG With Subgroups	3-45
Figure 3-5.	Sample MBG With Both Subgroups and Locations	3-46
Figure A-1.	MBG Call With Switch-Based Translations Approach	A-7
Figure A-2.	MBG Call With Centralized Translations	A-14
Figure A-3.	Business Group Parameter	A-35
Figure A-4.	Generic Address Parameter (calling number format)	A-37
Figure A-5.	Business Group Parameter	A-39

List of Tables

Table 3-1.	Increment/Decrement Table For An SFG/C	3-7
Table 3-2.	Assignment of Forwarding Features to ISDN MBGEs with Access Restrictions	3-32
Table 3-3.	Assignment of Forwarding Features to Conv. MBGEs with Access Restrictions	3-39
Table A-1.	TCAP Information for Provide Instructions Query	A-41
Table A-2.	TCAP Information for Connect Call Response	A-46
Table A-3.	TCAP Information for Provide Value Query	A-50
Table A-4.	TCAP Information for Response to Provide Value Query	A-54