

# Contents

## 1 Introduction

- 1.1 Purpose and Scope of Document . . . . . 1-1
- 1.2 Summary of Changes . . . . . 1-1
- 1.3 Organization . . . . . 1-1
- 1.4 Requirements Terminology . . . . . 1-2
- 1.5 Requirement Labeling Conventions . . . . . 1-2
  - 1.5.1 Numbering of Requirement and Related Objects . . . . . 1-2
  - 1.5.2 Requirement, Conditional Requirement, and Objective Identification . . 1-3

## 2 General Information

- 2.1 Product Description . . . . . 2-1
- 2.2 Operating Environment . . . . . 2-1

## 3 Requirements

- 3.1 Physical . . . . . 3-1
  - 3.1.1 Capacity . . . . . 3-1
  - 3.1.2 Wire Compatibility . . . . . 3-1
  - 3.1.3 Terminal Density . . . . . 3-1
  - 3.1.4 Wire Pair Identification . . . . . 3-1
  - 3.1.5 Service Wire Entry . . . . . 3-1
  - 3.1.6 Test Points . . . . . 3-2
  - 3.1.7 Termination Tool . . . . . 3-2
  - 3.1.8 Dimensions . . . . . 3-2
  - 3.1.9 Mounting . . . . . 3-2
  - 3.1.10 Stub Cable . . . . . 3-2
    - 3.1.10.1 Description . . . . . 3-2
    - 3.1.10.2 Pair Identification . . . . . 3-3
    - 3.1.10.3 Stub Cable Length . . . . . 3-3
    - 3.1.10.4 Filled Stub Cables . . . . . 3-3
  - 3.1.11 Internal Wiring . . . . . 3-3
- 3.2 Mechanical . . . . . 3-3
  - 3.2.1 Materials and Finishes . . . . . 3-3
  - 3.2.2 Terminal Operations . . . . . 3-4
  - 3.2.3 Service Wire Torsion . . . . . 3-4
  - 3.2.4 Stub Cable Integrity . . . . . 3-4
  - 3.2.5 Dimensional Stability . . . . . 3-4
- 3.3 Electrical . . . . . 3-5
  - 3.3.1 Insulation Resistance . . . . . 3-5
  - 3.3.2 Dielectric Breakdown . . . . . 3-5
  - 3.3.3 Current Cycle . . . . . 3-5
- 3.4 Environmental . . . . . 3-5
  - 3.4.1 Temperature Cycling . . . . . 3-5

- 3.4.2 Temperature Cycling with Humidity/Insulation Resistance . . . . . 3-5
- 3.4.3 Temperature Cycling with Humidity/Contact Resistance . . . . . 3-6
- 3.4.4 Stress Relaxation . . . . . 3-6
- 3.4.5 Reuse/Temperature Cycling . . . . . 3-6
- 3.4.6 Chemical Resistance . . . . . 3-6
- 3.4.7 Fungus Resistance . . . . . 3-7
- 3.5 Documentation . . . . . 3-7
- 3.6 Marking, Packaging and Shipping . . . . . 3-8
  - 3.6.1 Product Marking . . . . . 3-8
  - 3.6.2 Product Packaging and Marking . . . . . 3-8
  - 3.6.3 Shipping . . . . . 3-8
- 3.7 Quality Assurance . . . . . 3-8
  - 3.7.1 Quality Program Analysis . . . . . 3-8
  - 3.7.2 Product Quality Surveillance . . . . . 3-9

**4 Requirements - Severe Use**

- 4.1 Insulation Resistance/Temperature Cycle with Humidity . . . . . 4-1
- 4.2 Salt Fog Exposure . . . . . 4-1
- 4.3 Water Immersion . . . . . 4-1
- 4.4 UV Degradation . . . . . 4-2
- 4.5 Reuse/Water Immersion . . . . . 4-2
- 4.6 Vibration . . . . . 4-2

**5 Test Procedures**

- 5.1 Terminal Operations . . . . . 5-1
  - 5.1.1 Binding Post Type Terminals . . . . . 5-1
  - 5.1.2 Insulation Displacement Type Terminals . . . . . 5-1
- 5.2 Service Wire Torsion . . . . . 5-1
- 5.3 Stub Cable Integrity . . . . . 5-2
- 5.4 Insulation Resistance . . . . . 5-2
- 5.5 Dielectric Breakdown . . . . . 5-2
- 5.6 Current Cycle . . . . . 5-2
- 5.7 Temperature Cycling . . . . . 5-3
- 5.8 Temperature Cycling with Humidity/Insulation Resistance . . . . . 5-3
- 5.9 Temperature Cycling with Humidity/Contact Resistance . . . . . 5-3
- 5.10 Stress Relaxation . . . . . 5-3
- 5.11 Reuse/Temperature Cycling . . . . . 5-4
- 5.12 Salt Fog Exposure . . . . . 5-4
- 5.13 Water Immersion . . . . . 5-4
- 5.14 UV Degradation . . . . . 5-5
- 5.15 Reuse/Water Immersion . . . . . 5-5
- 5.16 Vibration . . . . . 5-5

**Appendix A: Glossary**

**Appendix B: References**

**Requirement-Object Index**