

ISDN Primary Rate Access
Testing Requirements

Contents

1. Copyright	1-1
2. Notice of Disclaimer	2-1
1. Introduction	1-1
1.1 Purpose of Document	1-1
1.2 Scope of Document	1-2
1.3 Changes from Technical Advisory	1-3
1.4 Organization of Document	1-3
1.5 Requirements Terminology	1-3
2. Overview of ISDN PRA	2-1
2.1 PRA Reference Configuration	2-1
2.2 Network Interface	2-2
2.3 PRA Transport Architectures	2-3
2.3.1 DS1 Interface Connector	2-4
3. Access and Testing Functional Requirements	3-1
3.1 Test Access Requirements	3-1
3.1.1 Monitor Access Function	3-1
3.1.2 Split Access Function	3-1
3.1.3 DTAU Internal Loopback Function	3-3
3.1.4 DTAU Transmission Direction and Pair Assignment	3-4
3.2 Testing Requirements	3-4
3.2.1 Access Supervision	3-4
3.2.2 Test Signal Generation	3-6
3.2.3 Loopback Control	3-6
3.2.4 Monitoring and Measurement of Signal	3-9
3.2.5 Switch Requirements for Service State Control	3-11
3.2.6 Interface Messages to Perform ISDN PRA Access and Testing	3-12
References	References-1
Glossary	Glossary-1

LIST OF FIGURES

Figure 1-1. Test Configuration	1-2
Figure 2-1. ISDN Primary Rate Access Reference Configuration	2-2
Figure 2-2. ISDN Primary Rate Access Architecture	2-3
Figure 3-1. In-Service Monitor Access	3-2
Figure 3-2. Facility-Test Split Access	3-3
Figure 3-3. Looped-Facility Split Access	3-5

LIST OF TABLES

Table 3-1. OS-to-TSC/RTU Interface Messages	3-13
Table 3-2. TSC/RTU-to-NE Interface Messages	3-14