

# Table of Contents

## 1 Introduction

1.1 Purpose and Scope . . . . .	1-1
1.2 Organization . . . . .	1-2
1.3 Requirements Terminology . . . . .	1-2
1.4 Requirement Labeling Conventions . . . . .	1-3
1.4.1 Numbering of Requirement and Related Objects . . . . .	1-3
1.4.2 Requirement, Conditional Requirement, and Objective Identification . . . . .	1-3

## 2 General Information

2.1 General System Description . . . . .	2-1
2.1.1 Central Office Power Systems . . . . .	2-1
2.1.2 Remote Site Power Systems . . . . .	2-3
2.1.2.1 Systems with Portable Engine-Alternators or Engine-Generators . . . . .	2-3
2.1.2.2 Systems with Dedicated Engine-Alternators . . . . .	2-4
2.1.2.3 Systems with Dedicated Engine-Generators (DC Output) . . . . .	2-7
2.2 Applications, Interfaces, and Operating Environment . . . . .	2-12
2.2.1 General Applications Considerations . . . . .	2-12
2.2.2 Electrical Interfaces and Electrical Noise . . . . .	2-13
2.2.2.1 Electrical Interfaces . . . . .	2-13
2.2.2.1.1 Engine-Alternators . . . . .	2-13
2.2.2.1.2 Engine-Generators . . . . .	2-13
2.2.2.2 Electrical Noise . . . . .	2-14
2.2.3 Fuels and Fuel Systems . . . . .	2-14
2.2.3.1 Fuel Selection . . . . .	2-14
2.2.3.2 Fuel System Maintenance . . . . .	2-15
2.2.3.3 Fuel Consumption . . . . .	2-16
2.2.3.4 Fuel Gauges and Alarms . . . . .	2-16
2.2.3.5 Fuel Tank Sizing . . . . .	2-17
2.2.4 Site Interfaces . . . . .	2-26
2.2.4.1 Installations Inside Network Equipment Enclosures . . . . .	2-26
2.2.4.2 External Installations . . . . .	2-27
2.3 Components . . . . .	2-28
2.3.1 Transformer and Magnetic Coils . . . . .	2-28
2.3.2 Hook-Up Wire . . . . .	2-28
2.3.3 Power Conductors . . . . .	2-29
2.3.4 Electrical/Mechanical Hardware . . . . .	2-29
2.3.5 Power Wire Terminations . . . . .	2-30
2.3.6 Resistors . . . . .	2-31
2.3.7 Electrolytic Capacitors . . . . .	2-31
2.3.8 Capacitors Except Electrolytic . . . . .	2-31
2.3.9 Semiconductors . . . . .	2-31
2.3.10 Circuit Breakers . . . . .	2-32
2.3.11 Fuses . . . . .	2-32
2.3.12 Meters . . . . .	2-32
2.3.13 Relays . . . . .	2-32
2.3.14 Switches . . . . .	2-33

2.3.15 Printed Wire Boards (PWBs) . . . . .	2-34
<b>3 General Requirements</b>	
3.1 Operations and Administration . . . . .	3-1
3.1.1 Unattended Operation . . . . .	3-1
3.1.2 Load Management . . . . .	3-1
3.1.3 Engines and Fuel Systems . . . . .	3-1
3.2 Engineering, Installation, and Maintenance . . . . .	3-2
3.2.1 Fire Resistance of Materials . . . . .	3-3
3.2.2 Earthquake Resistance . . . . .	3-3
3.2.3 Operating Environmental Requirements . . . . .	3-4
3.2.4 Shipping Temperature and Humidity . . . . .	3-4
3.2.5 Safety . . . . .	3-4
3.2.6 Toxic Materials . . . . .	3-5
3.2.7 Replacement Parts . . . . .	3-5
3.3 Grounding . . . . .	3-6
3.3.1 AC Generator Neutral Grounding . . . . .	3-6
3.3.2 DC Generator Grounding . . . . .	3-6
3.3.3 Equipment Grounding . . . . .	3-6
3.4 Physical Security Provisions . . . . .	3-7
<b>4 Functional Requirements</b>	
4.1 End-Point Performance Requirements . . . . .	4-1
4.1.1 Engine and Alternator/Generator Ratings and De-Ratings . . . . .	4-1
4.1.1.1 Site-Specific Ratings . . . . .	4-1
4.1.1.2 Altitude and Temperature Derating Information . . . . .	4-1
4.1.2 Linear/Non-Linear AC Load Characteristics . . . . .	4-2
4.1.3 Electrical Output Requirements . . . . .	4-2
4.1.3.1 Preferred AC Voltage Ranges . . . . .	4-2
4.1.3.2 AC Voltage Regulation . . . . .	4-2
4.1.3.3 AC Voltage and Step Load Changes . . . . .	4-3
4.1.3.4 AC Frequency Regulation . . . . .	4-3
4.1.3.5 AC Frequency and Step Load Changes . . . . .	4-3
4.1.3.6 DC Output Voltage Regulation . . . . .	4-4
4.1.3.7 DC Voltage Remote Sensing . . . . .	4-4
4.1.3.8 DC Voltage Adjustments . . . . .	4-4
4.1.3.9 One-Step Load Acceptance - DC Generators . . . . .	4-4
4.1.4 Electrical Noise - DC Engine-Generators . . . . .	4-4
4.1.4.1 Voice Frequency (V) Noise . . . . .	4-5
4.1.4.2 Radio Frequency Noise . . . . .	4-6
4.1.4.3 Peak-to-Peak Ripple Voltages . . . . .	4-6
4.1.5 Telephone Influence Factor (TIF) . . . . .	4-6
4.1.6 Electromagnet Compatibility . . . . .	4-7
4.1.7 Electrostatic Discharge . . . . .	4-7
4.2 Alternators and Generators . . . . .	4-7
4.2.1 General . . . . .	4-7
4.2.2 Insulation . . . . .	4-7
4.2.3 Momentary Overload and Short Circuit Requirements . . . . .	4-7
4.2.4 Mechanical Balance . . . . .	4-8
4.2.5 Deviation Factor . . . . .	4-8

4.3	Automatic Transfer Switches . . . . .	4-8
4.4	Standby Power System Overcurrent Protection . . . . .	4-8
4.5	Fuels and Fuel Systems . . . . .	4-8
4.5.1	Codes and Standards . . . . .	4-9
4.5.2	Fuel Tank Location . . . . .	4-9
4.5.3	Elevation of Fuel . . . . .	4-9
4.5.4	Fuel Tanks . . . . .	4-9
4.5.5	LP Liquid Withdrawal Systems . . . . .	4-9
4.5.6	LP Fuel Flow Control . . . . .	4-9
4.6	Engine Lubrication System . . . . .	4-10
4.6.1	General . . . . .	4-10
4.6.2	Lube Oil Drain . . . . .	4-10
4.6.3	Capacity vs. Lube Oil Consumption . . . . .	4-10
4.6.4	Lube Oil System Ventilation . . . . .	4-10
4.6.5	Protective Shutdowns . . . . .	4-11
4.7	Starting System . . . . .	4-11
4.7.1	System Type . . . . .	4-11
4.7.2	Starting and/or Control Batteries . . . . .	4-11
4.7.3	Maintenance of Battery Charge . . . . .	4-11
4.7.4	Cranking Cycles . . . . .	4-11
4.7.5	Overcranking Protection . . . . .	4-12
4.7.6	Low Temperature Starting Reliability . . . . .	4-12
4.8	Engine-Alternator/Generator Cooling Systems . . . . .	4-13
4.8.1	Water-Cooled Engines . . . . .	4-13
4.8.2	Air-Cooled Engines . . . . .	4-14
4.9	Engine-Generator Combustion Exhaust Systems . . . . .	4-14
4.9.1	Exhaust Emissions . . . . .	4-14
4.9.2	Installation . . . . .	4-15
4.10	Acoustic Noise . . . . .	4-15
4.10.1	General Requirements . . . . .	4-16
4.10.2	Sound-Attenuating Enclosures (When Specified) . . . . .	4-16
4.10.3	Materials . . . . .	4-16
4.11	Engine-Generator Controls . . . . .	4-17
4.11.1	Engine-Alternator Generator Controls/Shutdowns . . . . .	4-18
4.11.1.1	Control Functions . . . . .	4-18
4.11.1.2	Shutdowns . . . . .	4-19
4.11.1.3	Routine Operation . . . . .	4-20
4.11.2	Engine-Generator Controls/Shutdowns . . . . .	4-21
4.11.2.1	Control Functions . . . . .	4-21
4.11.2.1.1	Normal Operation . . . . .	4-21
4.11.2.1.2	Routine Operation (Exercise Runs) . . . . .	4-22
4.11.2.2	Shutdowns . . . . .	4-22
4.11.3	Control Panel Meters/Displays . . . . .	4-23
4.11.3.1	Engine-Alternators . . . . .	4-23
4.11.3.2	Engine-Generators . . . . .	4-23
4.12	Alarms . . . . .	4-24
4.12.1	Alarm Functional Requirements . . . . .	4-24
4.12.2	Visual Alarm Color Codes . . . . .	4-27
4.12.3	Interfaces with Present Alarm Systems . . . . .	4-27
4.12.4	Dial-Up/Dial-Out Monitoring and/or Control Systems . . . . .	4-28

- 4.12.5 Functional Requirements . . . . . 4-29
  - 4.12.5.1 Monitoring Scope . . . . . 4-29
  - 4.12.5.2 User-Configurability . . . . . 4-29
  - 4.12.5.3 Fail-Safe Design . . . . . 4-29
  - 4.12.5.4 Code Compliance . . . . . 4-29
  - 4.12.5.5 Environmental Requirements . . . . . 4-30
  - 4.12.5.6 Power Supply Requirements . . . . . 4-30
  - 4.12.5.7 Security . . . . . 4-30
  - 4.12.5.8 Communications Requirements . . . . . 4-31
  - 4.12.5.9 Interfaces with Collocated Power System/Controllers . . . . . 4-32
  - 4.12.5.10 Dial-Out Notification . . . . . 4-32
  - 4.12.5.11 Memory Requirements . . . . . 4-33
- 4.13 The Telecommunications Management Network (TMN) . . . . . 4-34
- 4.14 Reliability and Maintainability . . . . . 4-35
  - 4.14.1 General . . . . . 4-35
  - 4.14.2 Engine-Generator Set . . . . . 4-36
  - 4.14.3 Failure Response of Standby Engine-Generator Controls . . . . . 4-36
  - 4.14.4 Failure of Monitoring/Control Systems . . . . . 4-37
    - 4.14.4.1 General . . . . . 4-37
    - 4.14.4.2 Response to Power Failures . . . . . 4-37
    - 4.14.4.3 System Reliability . . . . . 4-37
    - 4.14.4.4 Mass Storage . . . . . 4-37
    - 4.14.4.5 Handling of Sensor Failures . . . . . 4-38
    - 4.14.4.6 Displays . . . . . 4-38
    - 4.14.4.7 Status Indicator Test Function . . . . . 4-38

**5 Marking, Packaging, and Shipping Requirements**

- 5.1 Product Identification . . . . . 5-1
- 5.2 Marking of Components . . . . . 5-1
- 5.3 Packaging and Shipping . . . . . 5-1

**6 Quality Assurance Programs and Processes**

- 6.1 Hardware Quality Assurance Plan . . . . . 6-1
  - 6.1.1 Production Samples . . . . . 6-1
  - 6.1.2 Quality Assurance Documentation . . . . . 6-1
  - 6.1.3 Installation Quality Reviews . . . . . 6-1
- 6.2 Software Quality Assurance Plan . . . . . 6-2

**7 Documentation and Training**

- 7.1 Documentation Requirements . . . . . 7-1
- 7.2 Training Requirements . . . . . 7-2

**8 Performance Verification and Test Procedures**

- 8.1 General Information . . . . . 8-1
  - 8.1.1 Definitions . . . . . 8-1
    - 8.1.1.1 Design Review and Inspection . . . . . 8-1
    - 8.1.1.2 Cold Engine . . . . . 8-1
    - 8.1.1.3 Hot Engine . . . . . 8-1
    - 8.1.1.4 Test Instrumentation . . . . . 8-2

8.1.2	Test Setup Requirements . . . . .	8-2
8.1.3	Test Fuel Requirements . . . . .	8-3
8.1.4	Recording of Test Data . . . . .	8-3
8.2	Prototype Test Requirements . . . . .	8-3
8.2.1	Maximum Power . . . . .	8-3
8.2.2	Maximum Motor Starting kVA (AC Outputs Only) . . . . .	8-4
8.2.3	Fuel Consumption . . . . .	8-4
8.2.4	Steady State Regulation and Stability . . . . .	8-4
8.2.4.1	Voltage and Frequency (AC Outputs Only) . . . . .	8-4
8.2.4.2	Voltage Regulation and Electrical Noise (DC Outputs Only) . . . . .	8-5
8.2.5	Transient Response . . . . .	8-6
8.2.5.1	Voltage and Frequency Transient Response (AC Outputs Only) . . . . .	8-6
8.2.5.2	Voltage Transient Response (DC Outputs Only) . . . . .	8-6
8.2.6	Operation with Non-Linear Loads . . . . .	8-7
8.2.7	Acoustic Noise . . . . .	8-7
8.2.8	Automatic Transfer Switch . . . . .	8-7
8.2.9	Short-Circuit Tests . . . . .	8-8
8.2.10	Generator Insulation Tests . . . . .	8-8
8.2.11	Engine Cooling System Performance . . . . .	8-8
8.2.12	Lube Oil Consumption . . . . .	8-9
8.2.13	Mechanical Vibration/Torsional Analysis . . . . .	8-9
8.2.14	Low Temperature Starting . . . . .	8-9
8.2.15	Endurance Tests . . . . .	8-10
8.2.16	Electrical Noise . . . . .	8-10
8.2.17	Telephone Influence Factor . . . . .	8-10
8.2.18	Electromagnetic Compatibility . . . . .	8-10
8.2.19	Electrostatic Discharge . . . . .	8-10
8.3	Site (Installation Acceptance) Tests . . . . .	8-10
8.3.1	Automatic Start . . . . .	8-11
8.3.2	Full-Load Test . . . . .	8-11
8.3.3	Cranking Cycle/Duration Test . . . . .	8-11
8.3.4	Shutdown/Alarm Test . . . . .	8-11

## Appendix A: References

## Appendix B: Glossary

## Requirement-Object Index

## List of Figures

Figure 2-1	Typical Central Office Power System . . . . .	2-2
Figure 2-2	Remote Location Power System w/o Dedicated Standby Engine-Alternator or Engine-Generator . . . . .	2-4
Figure 2-3	Remote Location Power System with Dedicated Standby Engine-Alternator . . . . .	2-6
Figure 2-4	Remote Location Power System with Dedicated Standby Engine-Alternator - A/C Chillers are Non-Essential Load . . . . .	2-6
Figure 2-5	Remote Location Power System with Dedicated Standby Engine-Generator . . . . .	2-9
Figure 2-6	Remote Location Power System with Dedicated Standby Engine-Generator with Auxiliary AC Output . . . . .	2-11
Figure 2-7	Diesel Engine Fuel Consumption . . . . .	2-22
Figure 2-8	Diesel Fuel Tank Requirements . . . . .	2-22
Figure 2-9	Vaporization Rates For Vapor Withdrawal Systems (Surroundings Temperature = 20° F, Tank is 1/2 Full, Continuous or Intermittent Withdrawal) . . . . .	2-23
Figure 2-10	LP Gas (Propane) Engine Fuel Consumption, Btu/Hour . . . . .	2-24
Figure 2-11	LP Tank Requirements . . . . .	2-25
Figure 2-12	Approximate Overall Dimensions - Horizontal LP Tanks (Reference Only) . . . . .	2-26

## List of Tables

Table 2-1	Average Load For Estimating Fuel Consumption . . . . .	2-18
Table 2-2	Planning Values For Diesel Fuel Consumption . . . . .	2-19
Table 2-3	Planning Values for Propane Fuel Consumption (Gal/Hr) . . . . .	2-21
Table 2-4	Maximum Allowable Temperature vs. Insulation Class . . . . .	2-28
Table 2-5	Maximum Permissible Current, Hook-Up Wire Bundles . . . . .	2-28
Table 2-6	Maximum Operating Voltage and Temperature . . . . .	2-29
Table 2-7	Suggested Torque, Clamping Loads, and Current Transfer Rating for Screws and Bolts . . . . .	2-30
Table 2-8	Maximum Allowable Temperature for Various Switch Types . . . . .	2-33
Table 4-1	Measurement Error, Accuracy Range and Reading Resolution . . . . .	4-24
Table 4-2	RS-232 Port Pin-Outs . . . . .	4-31
Table 8-1	Instrumentation Requirements - Prototype Tests . . . . .	8-2