

Table of Contents

1 Introduction

1.1 Purpose	1-1
1.2 Background	1-1
1.3 Description of the DS0 Signal	1-2
1.3.1 DS0 Signal Format	1-2

2 DS0 Maintenance Strategy

2.1 Dataport Digital Channel Units	2-1
2.2 Link Performance Monitoring	2-1
2.3 Initiation of the Test Sequence	2-2
2.4 Test Sequence	2-2

3 Feature Requirements

3.1 Link Trouble Detection	3-1
3.1.1 Signaling Unit Error Rate Monitor	3-1
3.2 Link Trouble Notification	3-1
3.2.1 Signaling Link Alarm Inhibit	3-1
3.3 Link Trouble Sectionalization	3-1
3.3.1 Near End Tests	3-1
3.3.2 Far End Tests	3-2
3.3.3 Link Facility Sectionalization	3-2
3.3.3.1 Automated Test Sequence	3-2
3.3.3.2 Manual Test Intervention	3-3
3.4 Test Patterns	3-3
3.4.1 Pseudorandom Test Word	3-3
3.4.2 Inserting Bit Errors	3-3

4 Loopback Control Coding

4.1 DDS Control Coding	4-1
4.1.1 Non-Latching Loopback Control Signals ^[8]	4-1
4.2 Dataport Latching Loopback	4-2
4.3 Network Element Interface Code	4-5

5 Link Configuration Database

6 Synchronization

Appendix A: References

Appendix B: Acronyms

List of Figures

Figure 1-1	DS0 Clock and Signal Formats	1-3
Figure 2-1	Signaling Link DS0 Interface Loopback Application	2-2
Figure 4-1	Specification Description Language (SDL) for Latching Loopback Sequence	4-4

List of Tables

Table 4-1	DDS and Dataport Non-Latching Network Control Codes	4-2
Table 4-2	Control Codes for Link Testing 56 kb/s Rate	4-5
Table 4-3	Loopback Select Codes and MAP Codes for Latching Loopback for 56 kb/s Rate	4-6