
Universal Digital Channel (UDC) Generic Requirements and Objectives

Contents

1. INTRODUCTION	1-1
1.1 Purpose	1-1
1.2 Changes From TA-TSY-000398	1-1
1.3 UDC System	1-2
1.4 DSL Transmission Technology	1-2
1.5 Location of RDT	1-3
1.6 Customer-Usable Data Rate	1-3
1.7 Organization of Document	1-3
1.8 Requirements Definitions and Conventions	1-3
1.9 TA/TRs Referenced by this Document	1-4
1.10 Reasons for Revision	1-5
2. UDC SYSTEM OVERVIEW	2-1
2.1 System Description	2-1
2.1.1 Transmission Facility	2-1
2.1.2 RDT	2-1
2.1.3 COT	2-2
2.1.4 Operations	2-2
2.1.5 Central Terminal Configuration	2-2
2.2 Transport Over Carrier Systems	2-3
2.3 RDT Powering	2-4
2.4 Maintenance	2-4
2.4.1 Operations Systems Interfaces	2-5
2.4.2 Circuit Maintenance	2-5
2.4.3 System Maintenance	2-6
2.4.3.1 COT-RDT Communications	2-6
2.4.3.2 Alarms	2-7
2.4.3.3 DSL Performance Monitoring	2-7
2.4.3.4 Trouble Sectionalization	2-7
2.5 Provisioning	2-8
2.5.1 The Two-POTS line System	2-8
2.5.2 UDC Serving Three Circuits or More	2-9
2.5.3 Remote Equipment Inventory	2-9
2.5.4 Per-Circuit User-Defined Options	2-9
2.6 Applications	2-9
2.6.1 The Two-POTS Lines Systems	2-10
2.6.2 POTS-DATA Service Package	2-11

2.6.3	VF Special Services and DDS	2-11
2.7	Data-Voice Integration in CO-LANs	2-12
2.8	Future Considerations	2-13
3.	SERVICE REQUIREMENTS	3-1
3.1	Target Services For UDC	3-1
3.1.1	Single Party POTS	3-1
3.1.2	2-, 4- and 6-wire Locally Switched and Non-Switched VF Specials	3-1
3.1.2.1	Universal Voice Grade SDMs	3-2
3.1.2.2	VF Services Not Included In UVG Criteria	3-2
3.1.3	Digital Data Systems (DDS)	3-2
3.1.4	Coin Services	3-3
3.2	Other Services	3-3
3.2.1	Public Switched Digital Service (PSDS)	3-3
3.2.2	Packet Data Service	3-3
3.2.3	New Services	3-3
3.3	Miscellaneous Requirements for Services	3-3
3.3.1	Drop Length	3-4
3.3.2	Minimum POTS Loss	3-4
3.3.3	Multi-Service SDMs	3-4
3.3.4	Powering CPE Equipment	3-4
3.3.5	SDM Parameters	3-4
4.	TRANSMISSION FACILITY	4-1
4.1	Transmission Technique	4-1
4.1.1	DSL Bandwidth Requirements for UDC Facility	4-1
4.2	DSL Performance Monitoring Parameters	4-1
4.3	Transmission System Performance Requirements	4-2
4.3.1	Bit Error Ratio (BER)	4-2
4.3.2	Message Propagation Delay	4-2
4.3.3	Jitter Tolerance and Generation	4-2
4.3.4	Reframe Time	4-3
4.4	DSL Transport Over Loop and Inter-Office Carrier Systems	4-3
4.4.1	Carrier Systems Requirements for UDC Transport	4-3
4.4.2	3-DS0 TDM Method	4-3
4.4.3	4:1 TDM Method	4-4
4.5	Timing	4-4
4.5.1	COT Timed to Network	4-4
4.5.2	RDT Loop Timed	4-4
5.	UDC POWERING	5-1
5.1	RDT Powering	5-1
5.1.1	External dc Power	5-2
5.2	Battery Reserve	5-2
5.2.1	SDMs to be Powered	5-2

5.2.2	Battery Reserve Time.....	5-2
5.2.3	Extended Outages	5-3
5.2.4	Automatic Restoral	5-3
5.2.5	Battery Maintenance	5-3
5.2.6	Expected Battery Life	5-3
5.2.7	Battery Fault Indicator	5-3
5.2.8	Management of the Backup Battery.....	5-3
5.3	RDT Loop Powering	5-4
5.4	COT Powering	5-4
5.4.1	Power Source	5-4
5.4.2	Power Source Noise	5-4
5.4.3	Current Drains.....	5-4
6.	Operations Interfaces	6-1
7.	Maintenance Capabilities and Operations Features	7-1
7.1	System Alarms	7-1
7.2	Trouble Isolation Indicators	7-1
7.3	Alarm Classification.....	7-1
7.4	Visual Indicators	7-2
7.5	SDM Visual Indicators.....	7-3
7.6	Alarm Reporting to Operations Systems.....	7-3
7.7	Operations Systems Interfaces	7-3
7.7.1	Embedded OS Maintenance Interface.....	7-3
7.7.2	Generic OS Maintenance Interface	7-3
7.7.3	Conversion Between Maintenance OS Interfaces.....	7-4
7.8	Central Office Alarm System.....	7-4
7.9	Alarm Cutoff (ACO).....	7-4
7.10	Circuit Test Access and Maintenance	7-4
7.10.1	Test Access via Embedded Interfaces.....	7-5
7.10.2	TR-TSY-000465 Interface	7-5
7.10.3	UDC System Self-Test Interface.....	7-5
7.10.4	Test Access via Generic Test System Interface	7-8
7.11	COT - RDT Interface (eoc).....	7-9
7.12	Remote Circuit Provisioning.....	7-9
7.13	System Start Up.....	7-9
7.14	User System Interface	7-9
7.15	SDM Removal or Installation	7-10
7.16	Auxiliary Products	7-10
8.	DYNAMIC BANDWIDTH ALLOCATION	8-1
9.	PHYSICAL REQUIREMENTS	9-1
9.1	Shock and Vibration.....	9-1
9.2	COT.....	9-1
9.3	RDT Cabinet Housings	9-1

9.4	Human Factors	9-1
9.5	Fire Resistance	9-1
9.6	SDM Numbering	9-2
9.7	SDM Slot Capabilities.....	9-2
9.8	RDT Network Interfaces	9-2
9.9	Maximum Number of Network Interfaces	9-2
9.10	RDT System with Stub Cable	9-2
9.11	RDTs Without Stub Cables	9-3
9.12	Connectors.....	9-3
9.13	Digital Transmission Facility Pairs	9-3
9.14	Backplane Protection	9-4
9.15	Maintenance Access To Terminal Backplane.....	9-4
9.16	SDM Output Test Access.....	9-4
9.17	Access to Surveillance Alarms Circuits	9-4
10.	ENVIRONMENTAL REQUIREMENTS	10-1
10.1	Temperature And Humidity	10-1
10.1.1	COT.....	10-1
10.1.2	RDT - Outside Mounting	10-1
10.1.3	RDT - Mounted Inside Premises.....	10-1
10.1.4	RDT - Installed But Not Operational	10-1
10.2	Altitude.....	10-2
10.3	COT Heat Dissipation.....	10-2
10.4	Acoustical Noise	10-2
10.5	Airborne Contaminants	10-2
10.6	Electromagnetic Compatibility	10-2
10.6.1	Lightning and AC Power Faults.....	10-2
10.6.2	Heat Coils.....	10-3
10.6.3	60 Hz Induction.....	10-3
10.6.4	Electromagnetic Emission and Immunity Requirements and Objectives.....	10-3
10.6.5	Conducted Emissions from Voiceband Circuits	10-4
10.6.6	Electrostatic Discharge	10-5
10.7	Electrical Safety	10-5
10.7.1	COT Grounding	10-5
10.7.2	RDT Grounding	10-5
10.7.3	Battery Safety.....	10-5
10.8	Listing of RDTs.....	10-5
11.	QUALITY AND RELIABILITY	11-1
11.1	System Reliability Objectives	11-1
12.	SYSTEM ADMINISTRATION	12-1
12.1	Documentation	12-1
12.2	Equipment Space Planning	12-1
12.3	Task Oriented Practices (TOP)	12-2

12.4 Personnel Training	12-2
12.5 Equipment Coding	12-2
12.6 SDM Service Labeling	12-2
12.7 Service Restrictions.....	12-2
12.8 Transmission Performance Information.....	12-2
12.9 Central Office Bridging Restrictions	12-3
13. GLOSSARY OF ACRONYMS.....	13-1
14. REFERENCED DOCUMENTS	14-1
Appendix A: ADAPTIVE RATE MULTIPLEXING	A-1
A.1 Framing	A-1
A.2 Subchannel Data Rates.....	A-2
A.3 Allocating Data Among the Channels.....	A-4
A.4 Referenced Documents	A-5

List of Figures

Figure 1-1.	UNIVERSAL DIGITAL CHANNEL	1-6
Figure 2-1.	UDC SYSTEM COMPONENTS	2-13
Figure 2-2.	EXAMPLE OF A UDC CENTRAL TERMINAL IMPLEMENTATION	2-14
Figure 2-3.	CARRIER ACCESS ARRANGEMENTS	2-15
Figure 2-4.	UDC OPERATION SYSTEMS INTERFACES	2-16
Figure 2-5.	THE TWO POTS SYSTEM	2-17
Figure 2-6.	TESTING THE TWO - POTS SYSTEMS	2-18
Figure 2-7.	POTS - DATA PACKAGE	2-19
Figure 2-8.	VF AND DIGITAL DATA SPECIAL SERVICES	2-20
Figure 7-1.	UDC RDT Operations functions	7-11
Figure 7-2.	UDC COT Operations Functions	7-12
Figure 7-3.	DC Signature	7-13
Figure 10-1.	TEST TERMINATIONS	10-6
Figure A-1.	ADAPTIVE RATE FRAME	A-6