

# Contents

<b>Technical Reference Notice Of Disclaimer</b> . . . . .	iii
<b>1 Introduction</b>	
1.1 Loop Testing . . . . .	1-1
1.2 The Pair Gain Test Controller Interface . . . . .	1-1
1.3 Organization of this Technical Reference . . . . .	1-1
1.4 Reasons for Reissue . . . . .	1-2
<b>2 General Description of the Pair Gain Test Controller</b>	
2.1 Introduction . . . . .	2-1
2.2 Capabilities . . . . .	2-1
2.3 PGTC Installation . . . . .	2-1
<b>3 PGTC to Carrier System Interface for Drop Testing</b>	
3.1 Required Carrier System Interfaces . . . . .	3-1
3.2 Overview of PGTC Operation . . . . .	3-1
3.3 PGTC Interfaces to the Carrier System Channel Unit . . . . .	3-4
3.3.1 Carrier System Channel Unit On-Hook dc Signature . . . . .	3-4
3.3.2 Test Initiate Signal . . . . .	3-4
3.3.3 Tone from Channel Unit . . . . .	3-4
3.3.4 AC Induction . . . . .	3-9
3.4 Carrier System to PGTC Tester Trunk Interface . . . . .	3-9
3.4.1 Test Initiation Control Signals . . . . .	3-9
3.4.2 DC Test Pair Connection Sequence . . . . .	3-13
3.5 Carrier System to Carrier System Interface . . . . .	3-14
<b>4 PGTC Transmission and Signaling Tests</b>	
4.1 General Description of PGTC Tests . . . . .	4-1
4.2 Measurement Details . . . . .	4-3
4.2.1 Test Signal . . . . .	4-3
4.2.2 Return Loss Measurements . . . . .	4-3
4.2.3 Idle Channel Noise . . . . .	4-4
4.2.4 4.2.4 Tip Party Identification Tests . . . . .	4-4
4.3 Test Sequences . . . . .	4-5
4.3.1 Duration of Tests . . . . .	4-5
4.3.2 Test Failure indications . . . . .	4-5
4.4 Guide to Tables 4-1 Through 4-3 . . . . .	4-6
4.4.1 Purpose of Test . . . . .	4-11
4.4.2 PGTC Test Conditions . . . . .	4-11
4.4.3 RT Terminations . . . . .	4-12
4.4.4 COT Conditions Required to Pass Test . . . . .	4-13

## 5 PGTC to Loop Testing System Interface

5.1 General Operation . . . . .	5-1
5.2 Loop Testing System Requirements . . . . .	5-1
5.2.1 Accessing the Carrier's Channel Unit . . . . .	5-1
5.2.2 Testing of Central Office Wiring . . . . .	5-2
5.2.3 Activating the PGTC . . . . .	5-2
5.2.4 Obtaining the Results of the PGTC Carrier Channel Test . . . . .	5-3
5.2.5 Loop Testing System Disconnect . . . . .	5-4

## 6 PGTC Application Guidelines

6.1 Bridged Taps on the dc Test Pair . . . . .	6-1
6.2 Maximum Lines Per dc Test Pair . . . . .	6-1

### Appendix A: SM88C Test Result Display

### Appendix B: References

## List of Figures

Figure 2-1	Electrical Connections and Location of PGTC . . . . .	2-2
Figure 2-2	Connection Details of PGTC . . . . .	2-3
Figure 3-1	PGTC Interfaces . . . . .	3-3
Figure 3-2	DC Signature . . . . .	3-6
Figure 3-3	Valid Test Initiate Signals . . . . .	3-7
Figure 3-4	Invalid Test Initiate Signals . . . . .	3-8
Figure 3-5	Path Between Carrier System and PGTC . . . . .	3-10
Figure 3-6	Test Control Lead Test Circuit . . . . .	3-13
Figure 4-1	RT Termination State Diagram . . . . .	4-2
Figure 4-2	PGTC Test Circuitry . . . . .	4-4

## List of Tables

Table 3-1	Acceptable COT Channel Unit On-Hook Signatures . . . . .	3-5
Table 3-2	PGTC to Carrier System Connector Pin Assignments . . . . .	3-11
Table 4-1	Tests Applied to all Channel Units . . . . .	4-7
Table 4-2	Coin Tests . . . . .	4-8
Table 4-3	Multiparty Tests . . . . .	4-10
Table 5-1	Carrier Channel Test Results . . . . .	5-5
Table 5-2	Carrier Channel Test Results That May be Implemented in the Future . . . . .	5-5
Table A-1	Table 4-1 Test Results . . . . .	A-2
Table A-2	Table 4-2 Test Results . . . . .	A-3
Table A-3	Table 4-3 Test Results . . . . .	A-5