

Table of Contents

1 Introduction

1.1 Purpose and Scope of Document	1-1
1.2 Scope	1-1
1.3 Organization	1-1
1.4 Reasons for Reissue	1-2

2 General Information

2.1 Requirements and Objectives	2-1
2.2 Product Description and Environment	2-1
2.2.1 Optical Characteristics	2-2
2.2.2 Mechanical Characteristics	2-3
2.2.3 Protection for Buried Service Cables	2-4
2.2.4 Ordering Options	2-5
2.3 Safety Considerations	2-5
2.4 Reference Document	2-6
2.5 Upgrading to Meet Future Capacity Requirements	2-6
2.6 Optical Fiber Compatibility	2-6
2.6.1 Single-Mode Optical Compatibility	2-6
2.6.2 Multimode Optical Compatibility	2-7

3 General Requirements

3.1 Fiber Materials	3-1
3.2 Cable Materials	3-1
3.2.1 Water Blocking Material	3-1
3.2.2 Continuity of Metallic Members	3-2
3.2.3 Binders and Core Wrap	3-2
3.2.4 Rip Cord(s)	3-2
3.3 Markings, Packaging, and Shipping	3-3
3.3.1 Cable Marking	3-3
3.3.2 Length Markings	3-4
3.3.3 Color Coding	3-4
3.3.4 Packaging and Shipping	3-5
3.4 Quality and Reliability Requirements	3-7
3.4.1 Quality Assurance Program	3-7
3.4.2 Documentation	3-8
3.4.3 Manufacturing/Quality Program Analysis	3-8
3.4.4 Quality Surveillance	3-9
3.4.5 Process/Product Verification	3-9
3.4.6 Initial Product Qualification/Periodic Requalification	3-10

4 Optical Fiber Requirements and Test Procedures

4.1 Optical Requirements	4-1
4.1.1 Attenuation Coefficient	4-1
4.1.2 Attenuation Uniformity	4-2
4.1.3 Water Peak (Single-Mode Fiber)	4-2

- 4.1.4 Fiber Macrobending 4-3
- 4.1.5 Multimode Fiber Bandwidth 4-3
- 4.1.6 Cutoff Wavelength (Single-Mode Fiber) 4-4
- 4.1.7 Mode Field Diameter (Single-Mode Fiber) 4-5
- 4.2 Geometrical Requirements 4-5
 - 4.2.1 Multimode Optical Fibers 4-6
 - 4.2.2 Single-Mode Optical Fiber 4-7
 - 4.2.3 Common Parameters for Multimode and Single-Mode Fiber 4-7
- 4.3 Mechanical Requirements 4-8
 - 4.3.1 Fiber Tensile Proof Test 4-8
 - 4.3.2 Coating Strippability 4-9

5 Copper Conductors Requirements and Tests

- 5.1 Conductors 5-1
 - 5.1.1 Material 5-1
 - 5.1.2 Factory Joints 5-1
- 5.2 Conductor Insulation 5-1
 - 5.2.1 Material 5-1
 - 5.2.2 Dimensions 5-2
 - 5.2.3 Patching 5-2
 - 5.2.4 Porosity 5-2
 - 5.2.5 Adhesion to the Conductor 5-2
 - 5.2.6 Ultimate Elongation 5-3
 - 5.2.7 Compression 5-3
 - 5.2.8 Cold Bend 5-3
 - 5.2.9 Shrinkback 5-3
 - 5.2.10 Thermal Oxidative Stability 5-4
 - 5.2.10.1 Qualification Test: 5-4
 - 5.2.10.2 Product Performance Test: 5-7
 - 5.2.11 Insulation Imperfections 5-8

6 Cable Requirements and Tests

- 6.1 Twist Lengths 6-1
- 6.2 Armor 6-1
 - 6.2.1 Gopher Shield/Armor 6-1
 - 6.2.2 Non-Gopher Shield 6-2
 - 6.2.3 Nonarmored Locatable Cable 6-3
- 6.3 Completed Cable Requirements and Tests 6-3
 - 6.3.1 Longitudinal Shield Fatigue Test 6-3
 - 6.3.2 Low and High Temperature Cable Bend Test 6-4
 - 6.3.3 Impact Tests 6-5
 - 6.3.3.1 Impact Resistance 6-5
 - 6.3.3.2 Low Temperature Impact Test 6-5
 - 6.3.4 Compressive Strength 6-5
 - 6.3.5 Tensile Strength of Cable 6-6
 - 6.3.6 Cable Twist 6-7
 - 6.3.7 Cable Cyclic Flexing 6-7
 - 6.3.8 Cable Freezing 6-7
- 6.4 Water Penetration Test 6-8
- 6.5 Water Resistance Test 6-8



6.6	Filling and Flooding Compound Flow	6-10
6.7	Inner Cable Jacket	6-10
6.8	Outer Cable Jacket	6-11
6.8.1	Porosity	6-11
6.8.2	Outer Jacket Material and Thickness	6-11
6.8.3	Yield Strength and Ultimate Elongation	6-11
6.8.4	Plasticiser Compatibility	6-12
6.8.5	Light Absorption Coefficient	6-12
6.8.6	Jacket Shrinkage	6-13
6.9	Environmental Requirements	6-13
6.9.1	Temperature Cycling	6-13
6.9.2	Cable Aging	6-14
6.9.3	Flammability	6-15
6.9.4	Color Permanence	6-15
6.9.5	Hydrogen in Cables	6-16
6.9.6	Fusing Coordination Test	6-16

7 Electrical Requirements for Completed Cable

7.1	Continuity and Shorts	7-1
7.2	Conductor Resistance	7-1
7.3	DC Resistance Unbalance	7-1
7.4	Mutual Capacitance	7-1
7.5	Capacitance Unbalance, Pair to Ground	7-1
7.6	Capacitance Unbalance, Pair-to-Pair	7-2
7.7	Attenuation	7-2
7.8	Insulation Resistance	7-2
7.9	DC Voltage Test	7-2
7.9.1	Conductor-to-Conductor	7-2
7.9.2	Core-to-Shield	7-3
7.10	Crosstalk - Distribution Wire	7-3
7.11	Shield Resistance	7-3

8 Manufacturing Program Analysis for Quality and Reliability (MPA)

8.1	Introduction	8-1
8.2	The Elements	8-2
8.2.1	Management Commitment and Organization	8-3
8.2.2	Documentation	8-3
8.2.3	Control of Design Changes	8-4
8.2.4	Control of Procured Material	8-5
8.2.5	Manufacturing Processes	8-5
8.2.6	In-Process Testing/Inspection	8-5
8.2.7	Completed Item Testing/Inspection	8-6
8.2.8	Equipment Calibration and Maintenance	8-7
8.2.9	Control of Nonconforming Material	8-8
8.2.10	Storage, Handling and Packaging	8-8
8.2.11	Corrective Action Program	8-9
8.2.12	Product Identification	8-9
8.2.13	Initial Product Qualification/Periodic Requalification	8-10
8.2.14	Quality Information	8-10
8.2.15	Collection and Analysis of Field Performance Data	8-11

8.2.16 Quality Improvement Program 8-11

9 Standard Optical Cable Code (SOCC)

9.1 Structure and Format 9-1

9.2 Fiber Type and Transmission Characters 9-2

 9.2.1 Fiber Type Character 9-2

 9.2.2 Transmission Performance Character for Dispersion-Unshifted Single-Mode
 9-2

 9.2.3 Transmission Performance Character for Multimode 9-2

9.3 Sheath Description Characters 9-3

 9.3.1 Protective Armor and Sheath Character 9-3

 9.3.2 Tensile Load and Copper Pair Character 9-4

9.4 Buried Drop Cable Description Characters 9-4

 9.4.1 Cable Type Character 9-4

 9.4.2 9.4.2 Buffer Type Character 9-4

9.5 Examples 9-4

Appendix A: References

A.1 External References A-1

Requirement-Object Index

List of Figures

Figure 2-1	Subscriber Loop Cable Hierarchy	2-8
Figure 2-2	Optical Buried Service Cable	2-9
Figure 2-3	Optical/Metallic Buried Service Cable	2-10
Figure 5-1	Test Pedestal Base	5-6
Figure 5-2	Heating Mantle Assembly	5-7
Figure 6-1	Pressure Cell for Water Resistance Test	6-9
Figure 6-2	Fusing Coordination Test Schematic	6-18

List of Tables

Table 5-1	Electrode Potential	5-10
Table 5-2	Gradient	5-10